

Smart RANGE

Modern design, Super slim



Smart Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	A301	1 gang 1 way switch	100pcs	0.034
	A302	1 gang 2 way switch	100pcs	0.034
	A313	1 gang 2 way intermediate switch	100pcs	0.034
	A303	2 gang 1 way switch	100pcs	0.034
	A304	2 gang 2 way switch	100pcs	0.034
	A305	3 gang 1 way switch	100pcs	0.034
	A306	3 gang 2 way switch	100pcs	0.034
	A307	4 gang 1 way switch	50pcs	0.029
	A308	4 gang 2 way switch	50pcs	0.029
	A309	6 gang 1 way switch	50pcs	0.029
	A310	6 gang 2 way switch	50pcs	0.029



A301 A302



A305 A306

- Conform to BS EN 60 669-1
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)
- Supplied with 2 screws M3.5 for BS boxes

>> BELL SWITCH





Picture	No.	Description	Carton	Volume(cbm)
	A317	10A bell switch	100pcs	0.034
	A319	10A bell switch+neon	100pcs	0.034



A317

- Conform to BS EN 60 669-1

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	A324	20A 1 gang double pole switch+neon	100pcs	0.034
	A327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	A329	45A 1 gang double pole switch+neon, double plate(86×146)	50pcs	0.029
	A331	45A switch+neon+13A switched socket+neon	50pcs	0.029



A324

- Conform to BS EN 60 669-1
- Material: Bakelite

Smart Range

>> DIMMER SWITCHES









Picture	No.	Description	Carton	Volume(cbm)
	A350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	A351	250W 1 gang speed switch	100pcs	0.034
	A353	250W 2 gang dimmer switch, single pole	100pcs	0.034
	A355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	A356	500W 2 gang dimmer switch, single pole	100pcs	0.034
	A555	1000W 1 gang dimmer switch, single pole	100pcs	0.034
	A556	1000W 2 gang dimmer switch, single pole	50pcs	0.029



A355

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	A405	13A 1 gang switched socket, single pole	100pcs	0.034
	A406	13A 2 gang switched socket, single pole	50pcs	0.029
	A409	13A 1 gang switched socket, double pole	100pcs	0.034
	A410	13A 2 gang switched socket, double pole	50pcs	0.029
	A407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	A408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	A411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	A412	13A 2 gang switched socket, double pole+neons	50pcs	0.029



A405



A406

- Conform to BS 1363: Part 2
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Smart Range

>> MULTI FUNCTION SOCKETS

Picture	No.	Description	Carton	Volume(cbm)
	A407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	A408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	A407DU	1 gang 5 pin multi-function socket, single pole+neon	100pcs	0.034
	A408DU	2 gang 5 pin multi-function socket, single pole+neons	50pcs	0.029



A407U

>> 13AMP SOCKETS WITH USB OUTLET

Picture	No.	Description	Carton	Volume(cbm)
	A4051	13A 1 gang switched socket, single pole+USB socket	100pcs	0.034
	A4062	13A 2 gang switched socket, single pole+2 USB sockets	50pcs	0.029
	A407U1	13A 1 gang multi-function switched socket, neon+USB socket	100pcs	0.034
	A407U2	13A 1 gang switched socket, neon+2 USB sockets	100pcs	0.029





A4051

- Conform to BS 1363 & EN 60950-1
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)



Smart Range

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	A413	13A fused connection unit+neon	100pcs	0.034
	A419	13A switched FCU'S+neon	100pcs	0.034



A413

■ Conform to BS 1363: Part 4

>> 15 AMP SOCKET OUTLETS



Picture	No.	Description	Carton	Volume(cbm)
	A429	15A 1 gang switched round-pin socket	100pcs	0.034
	A431	15A 1 gang switched round-pin socket+neon	100pcs	0.034



A429

■ Conform to BS 546
■ Material: Bakelite

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	A444	16A 2 gang multi-function socket	100pcs	0.034
	A445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	A446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	A458	shaver socket	50pcs	0.029
	A460	16A 1 gang multi-function socket	100pcs	0.034



A444

■ Conform to BS 4573, BS60742



Smart Range







>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	A432	coaxial socket, single outlet	100pcs	0.034
	A433	coaxial socket, twin outlet	100pcs	0.034
	A166	single satellite socket	100pcs	0.034
	A168	double satellite socket	100pcs	0.034



A432

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	A452	telephone socket	100pcs	0.034
	A438	1 gang telephone socket, secondary	100pcs	0.034
	A439	1 gang telephone socket, master	100pcs	0.034
	A440	2 gang telephone socket, secondary	100pcs	0.034
	A442	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	A443	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



A452

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	A820	20A connection plate	100pcs	0.034
	A821	45A connection plate	100pcs	0.034
	A401	1 gang blank plate	200pcs	0.034
	A402	2 gang blank plate	100pcs	0.029



A401

■ Conform to BS 5733
■ Material: Bakelite
■ Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)