


# Mirror Finish RANGE


Classic design, tasters' choice  
Golden and silver colour for selection  
No colour fading



## Mirror Finish Range Golden Color

### >> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	TA301PB	1 gang 1 way plate switch	100pcs	0.034
	TA302PB	1 gang 2 way plate switch	100pcs	0.034
	TA303PB	2 gang 1 way plate switch	100pcs	0.034
	TA304PB	2 gang 2 way plate switch	100pcs	0.034
	TA305PB	3 gang 1 way plate switch	100pcs	0.034
	TA306PB	3 gang 2 way plate switch	100pcs	0.034
	TA307PB	4 gang 1 way plate switch	50pcs	0.029
	TA308PB	4 gang 2 way plate switch	50pcs	0.029
	TA309PB	6 gang 1 way plate switch	50pcs	0.029
	TA310PB	6 gang 2 way plate switch	50pcs	0.029



TA301PB



TA305PB

### >> BELL SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	TA317PB	1 gang bell switch	100pcs	0.034







TA317PB

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)  
86.5×146.5 mm (2 gang)

**REMARKS:**  
White Insert and Black Insert are both Available

## Mirror Finish Range Golden Color

### >> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	TA324PB	20A 1 gang double pole switch+neon	100pcs	0.034
	TA327PB	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	TA329PB	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	TA331PB	45A switch+neon+13A switched socket+neon	50pcs	0.029



TA327PB

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)  
86.5×146.5 mm (2 gang)

### >> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	TA350PB	250W 1 gang dimmer switch, single pole	100pcs	0.034
	TA351PB	250W 1 gang speed switch	100pcs	0.034
	TA353PB	250W 2 gang dimmer switch, single pole	100pcs	0.034
	TA355PB	500W 1 gang dimmer switch, single pole	100pcs	0.034
	TA356PB	500W 2 gang dimmer switch, single pole	100pcs	0.034
	TA555PB	1000W 1 gang dimmer switch, single pole	100pcs	0.034
	TA556PB	1000W 2 gang dimmer switch, single pole	50pcs	0.029



TA353PB

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)  
86.5×146.5 mm (2 gang)

### >> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	TA405PB	13A 1 gang switched socket, single pole	100pcs	0.034
	TA406PB	13A 2 gang switched socket, single pole	50pcs	0.029
	TA409PB	13A 1 gang switched socket, double pole	100pcs	0.034
	TA410PB	13A 2 gang switched socket, double pole	50pcs	0.029





TA405PB

- Conform to BS 1363: Part 2
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)  
86.5×146.5 mm (2 gang)

## Mirror Finish Range Golden Color

### >> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	TA413PB	13A fused connection unit+neon	100pcs	0.034
	TA419PB	13A switched FCU'S+neon	100pcs	0.034



TA422PB

- Conform to BS 1363: Part 4

### >> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	TA429PB	15A 1 gang switched round-pin socket, BS546	100pcs	0.034



TA429PB

- Conform to BS 546

### >> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	TA434PB	isolated coaxial socket, single outlet	100pcs	0.034
	TA436PB	isolated coaxial socket, twin outlet	100pcs	0.034
	TA166PB	single satellite socket	100pcs	0.034
	TA168PB	double satellite socket	100pcs	0.034



TA434PB

### >> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	TA438PB	1 gang telephone socket, secondary	100pcs	0.034
	TA439PB	1 gang telephone socket, master	100pcs	0.034
	TA440PB	2 gang telephone socket, secondary	100pcs	0.034
	TA441PB	2 gang telephone socket, master	100pcs	0.034
	TA442PB	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	TA443PB	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



TA438PB

## Mirror Finish Range Golden Color

### >> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	TA820PB	20A connection plate	100pcs	0.034
	TA821PB	45A connection plate	100pcs	0.034
	TA401PB	1 gang blank plate	200pcs	0.034
	TA402PB	2 gang blank plate	100pcs	0.029



TA401PB

- Conform to BS 5733
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)  
86.5×146.5 mm (2 gang)



## Mirror Finish Range Sliver Color

### >> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	TA301PC	1 gang 1 way plate switch	100pcs	0.034
	TA302PC	1 gang 2 way plate switch	100pcs	0.034
	TA303PC	2 gang 1 way plate switch	100pcs	0.034
	TA304PC	2 gang 2 way plate switch	100pcs	0.034
	TA305PC	3 gang 1 way plate switch	100pcs	0.034
	TA306PC	3 gang 2 way plate switch	100pcs	0.034
	TA307PC	4 gang 1 way plate switch	50pcs	0.029
	TA308PC	4 gang 2 way plate switch	50pcs	0.029
	TA309PC	6 gang 1 way plate switch	50pcs	0.029
	TA310PC	6 gang 2 way plate switch	50pcs	0.029



TA303PC

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)  
86.5×146.5 mm (2 gang)




### >> BELL SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	TA317PC	1 gang bell switch	100pcs	0.034



TA317PC

### >> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	TA324PC	20A 1 gang double pole switch+neon	100pcs	0.034
	TA327PC	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	TA329PC	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	TA331PC	45A switch+neon+13A switched socket+neon	50pcs	0.029



TA324PC

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)  
86.5×146.5 mm (2 gang)

## Mirror Finish Range Sliver Color

### >> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	TA350PC	250W 1 gang dimmer switch, single pole	100pcs	0.034
	TA351PC	250W 1 gang speed switch	100pcs	0.034
	TA353PC	250W 2 gang dimmer switch, single pole	100pcs	0.034
	TA355PC	500W 1 gang dimmer switch, single pole	100pcs	0.034
	TA356PC	500W 2 gang dimmer switch, single pole	100pcs	0.034
	TA555PC	1000W 1 gang dimmer switch, single pole	100pcs	0.034
	TA556PC	1000W 2 gang dimmer switch, single pole	50pcs	0.029



TA356PC

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)  
86.5×146.5 mm (2 gang)

### >> 13 AMP SOCKET OUTLETS



Picture	No.	Description	Carton	Volume(cbm)
	TA405PC	13A 1 gang switched socket, single pole	100pcs	0.034
	TA406PC	13A 2 gang switched socket, single pole	50pcs	0.029
	TA409PC	13A 1 gang switched socket, double pole	100pcs	0.034
	TA410PC	13A 2 gang switched socket, double pole	50pcs	0.029



TA406PC

- Conform to BS 1363: Part 2

### >> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	TA413PC	13A fused connection unit+neon	100pcs	0.034
	TA419PC	13A switched FCU'S+neon	100pcs	0.034



TA419PC

- Conform to BS 1363: Part 4

### >> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	TA429PC	15A 1 gang switched round-pin socket, BS546	100pcs	0.034



TA429PC

- Conform to BS 546

## Mirror Finish Range Sliver Color

### >> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	TA434PC	isolated coaxial socket, single outlet	100pcs	0.034
	TA436PC	isolated coaxial socket, twin outlet	100pcs	0.034
	TA166PC	single satellite socket	100pcs	0.034
	TA168PC	double satellite socket	100pcs	0.034



TA434PC

### >> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	TA438PC	1 gang telephone socket, secondary	100pcs	0.034
	TA439PC	1 gang telephone socket, master	100pcs	0.034
	TA440PC	2 gang telephone socket, secondary	100pcs	0.034
	TA441PC	2 gang telephone socket, master	100pcs	0.034
	TA442PC	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	TA443PC	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



TA442PC

### >> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	TA820PC	20A connection plate	100pcs	0.034
	TA821PC	45A connection plate	100pcs	0.034
	TA401PC	1 gang blank plate	200pcs	0.034
	TA402PC	2 gang blank plate	100pcs	0.029



TA401PC

- Conform to BS 5733
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)  
86.5×146.5 mm (2 gang)