

SATIN GOLDEN & CHROME



CHROME

GOLDEN

Stainless steel satin plate

Unique button design

Superior materials

Modern design

Satin Chrome Range

CHROME

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	T301SC	1 gang 1 way plate switch	100pcs	0.034
	T302SC	1 gang 2 way plate switch	100pcs	0.034
	T303SC	2 gang 1 way plate switch	100pcs	0.034
	T304SC	2 gang 2 way plate switch	100pcs	0.034
	T305SC	3 gang 1 way plate switch	100pcs	0.034
	T306SC	3 gang 2 way plate switch	100pcs	0.034
	T307SC	4 gang 1 way plate switch	50pcs	0.029
	T308SC	4 gang 2 way plate switch	50pcs	0.029
	T309SC	6 gang 1 way plate switch	50pcs	0.029
	T310SC	6 gang 2 way plate switch	50pcs	0.029



T305SC



T307SC

>> BELL SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	T317SC	10A bell switch(bell)	100pcs	0.034



T317SC





- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

REMARKS:
White Insert and Black Insert are both Available

Satin Chrome Range

CHROME

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	T324GB/GE	20A 1 gang double pole switch+neon	100pcs	0.034
	T327GB/GE	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	T329GB/GE	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	T331GB/GE	45A switch+neon+13A switched socket+neon	50pcs	0.029



T501SC

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	T350SC	250W 1 gang dimmer switch, single pole	100pcs	0.034
	T351SC	250W 1 gang speed switch	100pcs	0.034
	T353SC	250W 2 gang dimmer switch, single pole	100pcs	0.034
	T355SC	500W 1 gang dimmer switch, single pole	100pcs	0.034
	T356XC	500W 2 gang dimmer switch, single pole	100pcs	0.034
	T555SC	1000W 1 gang dimmer switch, single pole	100pcs	0.034
	T556SC	1000W 2 gang dimmer switch, single pole	50pcs	0.029



T355SC

- Conform to BS EN 60 669-2-1, BS 55014-1, BS 55014-2
- Clear terminal markings
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	T405SC	13A 1 gang switched socket, single pole	100pcs	0.034
	T406SC	13A 2 gang switched socket, single pole	50pcs	0.029
	T409SC	13A 1 gang switched socket, double pole	100pcs	0.034
	T410SC	13A 2 gang switched socket, double pole	50pcs	0.029





T405SC

- Conform to BS 1363: Part 2
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Satin Chrome Range

CHROME

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	T413SC	13A fused connection unit+neon	100pcs	0.034
	T419SC	13A switched FCU'S+neon	100pcs	0.034



T419SC

- Conform to BS 1363: Part 4

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	T429SC	15A 1 gang switched round-pin socket, BS546	100pcs	0.034



T429SC

- Conform to BS 546

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	T434SC	isolated coaxial socket, single outlet	100pcs	0.034
	T436SC	isolated coaxial socket, twin outlet	100pcs	0.034
	T166SC	single satellite socket	100pcs	0.034
	T168SC	double satellite socket	100pcs	0.034



T434SC

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	T438SC	1 gang telephone socket, secondary	100pcs	0.034
	T439SC	1 gang telephone socket, master	100pcs	0.034
	T440SC	2 gang telephone socket, secondary	100pcs	0.034
	T441SC	2 gang telephone socket, master	100pcs	0.034
	T442SC	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	T443SC	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



T438SC

- Conform to BS 5733
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Satin Chrome Range

CHROME

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	T820SC	20A connection plate	100pcs	0.034
	T821SC	45A connection plate	100pcs	0.034
	T401SC	1 gang blank plate	200pcs	0.034
	T402SC	2 gang blank plate	100pcs	0.029




Satin Chrome Range

GOLDEN

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	T301SB	1 gang 1 way plate switch	100pcs	0.034
	T302SB	1 gang 2 way plate switch	100pcs	0.034
	T303SB	2 gang 1 way plate switch	100pcs	0.034
	T304SB	2 gang 2 way plate switch	100pcs	0.034
	T305SB	3 gang 1 way plate switch	100pcs	0.034
	T306SB	3 gang 2 way plate switch	100pcs	0.034
	T307SB	4 gang 1 way plate switch	50pcs	0.029
	T308SB	4 gang 2 way plate switch	50pcs	0.029
	T309SB	6 gang 1 way plate switch	50pcs	0.029
	T310SB	6 gang 2 way plate switch	50pcs	0.029



- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Satin Chrome Range

GOLDEN

>> BELL SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	T317SB	10A bell switch(bell)	100pcs	0.034



>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	T324SB	20A 1 gang double pole switch+neon	100pcs	0.034
	T327SB	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	T329SB	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	T331SB	45A switch+neon+13A switched socket+neon	50pcs	0.029



- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	T350SB	250W 1 gang dimmer switch, single pole	100pcs	0.034
	T351SB	250W 1 gang speed switch	100pcs	0.034
	T353SB	250W 2 gang dimmer switch, single pole	100pcs	0.034
	T355SB	500W 1 gang dimmer switch, single pole	100pcs	0.034
	T356SB	500W 2 gang dimmer switch, single pole	100pcs	0.034
	T555SB	1000W 1 gang dimmer switch, single pole	100pcs	0.034
	T556SB	1000W 2 gang dimmer switch, single pole	50pcs	0.029



- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Satin Chrome Range

GOLDEN

>> 13 AMP SOCKET OUTLETS



Picture	No.	Description	Carton	Volume(cbm)
	T405SB	13A 1 gang switched socket, single pole	100pcs	0.034
	T406SB	13A 2 gang switched socket, single pole	50pcs	0.029
	T409SB	13A 1 gang switched socket, double pole	100pcs	0.034
	T410SB	13A 2 gang switched socket, double pole	50pcs	0.029



T405SB

- Conform to BS 1363: Part 2
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)
- Life: 10 Year Guarantee

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	T413SB	13A fused connection unit+neon	100pcs	0.034
	T419SB	13A switched FCU'S+neon	100pcs	0.034



T419SB

- Conform to BS 1363: Part 4

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	T429SB	15A 1 gang switched round-pin socket,BS546	100pcs	0.034



T429SB

- Conform to BS 546

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	T434SB	isolated coaxial socket, single outlet	100pcs	0.034
	T436SB	isolated coaxial socket, twin outlet	100pcs	0.034
	T166SB	single satellite socket	100pcs	0.034
	T168SB	double satellite socket	100pcs	0.034



T434SB

Satin Chrome Range

GOLDEN

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	T438SB	1 gang telephone socket, secondary	100pcs	0.034
	T439SB	1 gang telephone socket, master	100pcs	0.034
	T440SB	2 gang telephone socket, secondary	100pcs	0.034
	T441SB	2 gang telephone socket, master	100pcs	0.034
	T442SB	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	T443SB	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



T438SB

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	T820SB	20A connection plate	100pcs	0.034
	T821SB	45A connection plate	100pcs	0.034
	T401SB	1 gang blank plate	200pcs	0.034
	T402SB	2 gang blank plate	100pcs	0.029



T821SB

- Conform to BS 5733
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

