


SHINE Range

SHINE range is a broad and practical range that looks at home in any interior. A value range where quality counts.



Shine Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	S301	1 gang 1 way switch	100pcs	0.034
	S302	1 gang 2 way switch	100pcs	0.034
	S303	2 gang 1 way switch	100pcs	0.034
	S304	2 gang 2 way switch	100pcs	0.034
	S305	3 gang 1 way switch	100pcs	0.034
	S306	3 gang 2 way switch	100pcs	0.034
	S307	4 gang 1 way switch(3×3)	100pcs	0.034
	S308	4 gang 2 way switch(3×3)	100pcs	0.034



S301 S302

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> BELL SWITCH & INTERMEDIATE SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	S313	1 gang 2 way intermediate switch	100pcs	0.034
	S317	10A bell switch(bell)	100pcs	0.029



S317

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	S324	20A 1 gang double pole switch+neon	100pcs	0.034
	S327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	S329	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	S331	45A switch+neon+13A switched socket+neon	50pcs	0.029



S327

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Shine Range

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	S350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	S351	250W 1 gang speed switch	100pcs	0.034
	S355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	S555	1000W 1 gang dimmer switch, single pole	100pcs	0.034




S351

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	S405	13A 1 gang switched socket, single pole	100pcs	0.034
	S406	13A 2 gang switched socket, single pole	50pcs	0.029
	S407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	S408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	S407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	S408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	S407DU	1 gang 5 pin multi-function socket, single pole+neon	100pcs	0.034
	S409	13A 1 gang switched socket, double pole	100pcs	0.034
	S410	13A 2 gang switched socket, double pole	50pcs	0.029
	S411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	S412	13A 2 gang switched socket, double pole+neons	50pcs	0.029
	S811	1 gang 8 pin multi-function socket, single pole+neon	50pcs	0.029



S407

- Conform to BS 1363: Part 2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Shine Range

>> 13 AMP SOCKET WITH USB OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	S4052	13A 1 gang switched socket, single pole+USB+neon	100pcs	0.034
	S405U2	13A 1 gang multi-function switched socket+USB+neon	100pcs	0.034
	S406U2	13A 2 gang switched socket, single pole+double USB	50pcs	0.029
	S408U2	13A 2 gang switched socket, double pole+double USB++neons	50pcs	0.029



S4052

- Conform to BS 1363: Part 2
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	S429	15A 1 gang switched round-pin socket	100pcs	0.034
	S431	15A 1 gang switched round-pin socket+neon	100pcs	0.034



S429

- Conform to BS 546

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	S413	13A fused connection unit+neon	100pcs	0.034
	S419	13A switched FCU'S+neon	100pcs	0.034

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	S444	16A 2 gang multi-function socket	100pcs	0.034
	S445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	S446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	S458	shaver socket	25pcs	0.029
	S460	16A 1 gang multi-function socket	100pcs	0.034



S445

Shine Range

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	S432	coaxial socket,single outlet	100pcs	0.034
	S433	coaxial socket,twin outlet	100pcs	0.034
	S166	single satellite socket	100pcs	0.034
	S168	double satellite socket	100pcs	0.034



S432

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	S452	telephone socket	100pcs	0.034
	S438	1 gang telephone socket,secondary	100pcs	0.034
	S439	1 gang telephone socket, master	100pcs	0.034
	S440	2 gang telephone socket,secondary	100pcs	0.0286
	S442	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	S443	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



S438

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	S820	20A connection plate	100pcs	0.034
	S821	45A connection plate	100pcs	0.034
	S401	1 gang blank plate	200pcs	0.034
	S402	2 gang blank plate	100pcs	0.029



S401

- Conform to BS 5733
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)