


BS WIRING ACCESSORIES

CATALOGUE



Shanghai Shinelite Electric Co.,Ltd.

Headquarters

No. 2588 Jinhai Road, Pudong New Area, Shanghai, China

Tel: (86)21-36382278 Fax: (86)21-36382278

Email: bruce@shinelite.cc Web: www.shinelite.cc

Production Base

Fuyang Economic & Technical Development Zone, Hangzhou, China

Professional in Manufacturing **BS** Wiring Accessories

MAKE ELECTRIC

SAFETY
SIMPLE
GREEN



COMPANY PROFILE



Shanghai Shinelite Electric Co.,Ltd is a well-established company with 12 years manufacturing experience, which specializes in manufacturing British Standard wiring accessories. Our main market is Europe, Middle East, South America, Africa and Asia.

Our products contain more than 15 series and 1000 items, including wall switch, socket, extension socket, lampholder, plug, junction box, ceiling rose, metal box and other electrical accessories.



AROUND THE WORLD




CORRIPARIY QUAAIIFICATION


We have the latest product certificate



PRODUCT CONTENTS >>



PRODUCT CONTENTS >>

MARVEL RANGE  79	LEGEND RANGE  95	APOLLO RANGE  121	MIRROR FINISH GOLDEN & SILVER  139	WATERPROOF RANGE  155
ULTIMATE RANGE  89	ELEGANCE RANGE  103	NOBLE SCREWLESS RANGE  125	SATIN GOLDEN & CHROME  147	ACCESSORIES  159
	SHINE RANGE  109	ICON RANGE  131	METAL CLAD RANGE  151	

WHITE RANGE

High quality moulded white wiring accessories which has become well established over the last 12 years with proven quality and value.



White Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	W301	1 gang 1 way switch	100pcs	0.034
	W302	1 gang 2 way switch	100pcs	0.034
	W313	1 gang 2 way intermediate switch	100pcs	0.034
	W303	2 gang 1 way switch	100pcs	0.034
	W304	2 gang 2 way switch	100pcs	0.034
	W305	3 gang 1 way switch	100pcs	0.034
	W306	3 gang 2 way switch	100pcs	0.034
	W307	4 gang 1 way switch(3×6)	50pcs	0.029
	W308	4 gang 2 way switch(3×6)	50pcs	0.029
	W309	6 gang 1 way switch(3×6)	50pcs	0.029
	W310	6 gang 2 way switch(3×6)	50pcs	0.029



- Conform to BS EN 60 669-1
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)
- Life: 10 Year Guarantee



White Range

>> BELL SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	W317	10A bell switch(bell)	100pcs	0.034
	W319	10A bell switch(bell)+neon	100pcs	0.034



■ Conform to BS EN 60 669-1

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	W324	20A 1 gang double pole switch+neon	100pcs	0.034
	W327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	W329	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	W331	45A switch+neon+13A switched socket+neon	50pcs	0.029



■ Conform to BS EN 60 669-1
■ Material: Bakelite
■ Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	W350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	W351	250W 1 gang speed switch	100pcs	0.034
	W353	250W 2 gang dimmer switch, single pole	100pcs	0.034
	W355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	W356	500W 2 gang dimmer switch, single pole	100pcs	0.034
	W555	1000W 1 gang dimmer switch, single pole	100pcs	0.034
	W556	1000W 2 gang dimmer switch, single pole	50pcs	0.029



■ Conform to BS EN 60 669-2-1, BS 55014-1, BS 55014-2
■ Clear terminal markings
■ Material: Bakelite
■ Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

White Range

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	W405	13A 1 gang switched socket, single pole	100pcs	0.034
	W406	13A 2 gang switched socket, single pole	50pcs	0.029
	W409	13A 1 gang switched socket, double pole	100pcs	0.034
	W410	13A 2 gang switched socket, double pole	50pcs	0.029
	W407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	W408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	W411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	W412	13A 2 gang switched socket, double pole+neons	50pcs	0.029



W406

■ Conform to BS 1363: Part 2
■ Material: Bakelite
■ Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> MULTI FUNCTION SOCKETS

Picture	No.	Description	Carton	Volume(cbm)
	W407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	W408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	W407DU	1 gang 5 pin multi-function socket, single pole+neon	100pcs	0.034
	W408DU	2 gang 5 pin multi-function socket, single pole+neons	50pcs	0.029



W407U

>> 13AMP SOCKETS WITH USB OUTLET

Picture	No.	Description	Carton	Volume(cbm)
	W4051	13A 1 gang switched socket, single pole+USB socket	100pcs	0.034
	W4062	13A 2 gang switched socket, single pole+2 USB sockets	50pcs	0.029
	W407U1	13A 1 gang multi-function switched socket, neon+USB socket	100pcs	0.034
	W407U2	13A 1 gang switched socket, neon+2 USB sockets	100pcs	0.034



W407U1

■ Conform to BS 1363 & EN 60950-1

White Range

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	W413	13A fused connection unit+neon	100pcs	0.034
	W419	13A switched FCU'S+neon	100pcs	0.034



■ Conform to BS 1363: Part 4

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	W429	15A 1 gang switched round-pin socket	100pcs	0.034
	W431	15A 1 gang switched round-pin socket+neon	100pcs	0.034



■ Conform to BS 546

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	W444	16A 2 gang multi-function socket	100pcs	0.034
	W445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	W446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	W458	shaver socket	25pcs	0.029
	W460	16A 1 gang multi-function socket	100pcs	0.034



■ Conform to BS 4573, BS60742

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	W432	coaxial socket,single outlet	100pcs	0.034
	W433	coaxial socket,twin outlet	100pcs	0.034
	W166	single satellite socket	100pcs	0.034
	W168	double satellite socket	100pcs	0.034



White Range

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	W452	telephone socket	100pcs	0.034
	W438	1 gang telephone socket,secondary	100pcs	0.034
	W439	1 gang telephone socket,master	100pcs	0.034
	W440	2 gang telephone socket,secondary	100pcs	0.034
	W442	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	W443	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	W820	20A connection plate	100pcs	0.034
	W821	45A connection plate	100pcs	0.034
	W401	1 gang blank plate	200pcs	0.034
	W402	2 gang blank plate	100pcs	0.029



■ Conform to BS 5733
 ■ Material: Bakelite
 ■ Dimension: 86.5×86.5 mm (1 gang)
 86.5×146.5 mm (2 gang)



VICTORY RANGE



- UREA material, heat resistance
- Smooth sound and gentle touching feeling
- The installer's dream, the user's delight!

Victory Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	V301	1 gang 1 way switch	100pcs	0.034
	V302	1 gang 2 way switch	100pcs	0.034
	V313	1 gang 2 way intermediate switch	100pcs	0.034
	V303	2 gang 1 way switch	100pcs	0.034
	V304	2 gang 2 way switch	100pcs	0.034
	V305	3 gang 1 way switch	100pcs	0.034
	V306	3 gang 2 way switch	100pcs	0.034
	V307A	4 gang 1 way switch(3×3)	100pcs	0.034
	V308A	4 gang 2 way switch(3×3)	100pcs	0.034
	V307B	4 gang 1 way switch(3×3)	100pcs	0.034
	V308B	4 gang 2 way switch(3×3)	100pcs	0.034
	V307	4 gang 1 way switch(3×6)	50pcs	0.029
	V308	4 gang 2 way switch(3×6)	50pcs	0.029
	V309	6 gang 1 way switch(3×6)	50pcs	0.029
	V310	6 gang 2 way switch(3×6)	50pcs	0.029



V301



V305

- Conform to BS EN 60 669-1
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)



Victory Range

>> BELL SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	V317	10A bell switch(bell)	100pcs	0.034
	V319	10A bell switch(bell)+neon	100pcs	0.034



V317

■ Conform to BS EN 60 669-1

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	V324	20A 1 gang double pole switch+neon	100pcs	0.034
	V327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	V329	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	V331	45A switch+neon+13A switched socket+neon	50pcs	0.029



V327

■ Conform to BS EN 60 669-1
■ Material: Bakelite
■ Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	V350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	V351	250W 1 gang speed switch	100pcs	0.034
	V353	250W 2 gang dimmer switch, single pole	100pcs	0.034
	V355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	V356	500W 2 gang dimmer switch, single pole	100pcs	0.034
	V555	1000W 1 gang dimmer switch, single pole	100pcs	0.034
	V556	1000W 2 gang dimmer switch, single pole	50pcs	0.029



V355

■ Conform to BS EN 60 669-2-1, BS 55014-1, BS 55014-2
■ Clear terminal markings
■ Material: Bakelite
■ Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Victory Range

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	V405	13A 1 gang switched socket, single pole	100pcs	0.034
	V406	13A 2 gang switched socket, single pole	50pcs	0.029
	V409	13A 1 gang switched socket, double pole	100pcs	0.034
	V410	13A 2 gang switched socket, double pole	50pcs	0.029
	V407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	V408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	V411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	V412	13A 2 gang switched socket, double pole+neons	50pcs	0.029



V406

■ Conform to BS 1363: Part 2
■ Material: Bakelite
■ Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> MULTI FUNCTION SOCKETS

Picture	No.	Description	Carton	Volume(cbm)
	V407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	V408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	V407DU	1 gang 5 pin multi-function socket, single pole+neon	100pcs	0.034
	V408DU	2 gang 5 pin multi-function socket, single pole+neons	50pcs	0.029



V407U

>> 13AMP SOCKETS WITH USB OUTLET

Picture	No.	Description	Carton	Volume(cbm)
	V4051	13A 1 gang switched socket, single pole+USB socket	100pcs	0.034
	V4062	13A 2 gang switched socket, single pole+2 USB sockets	50pcs	0.029
	V407U1	13A 1 gang multi-function switched socket, neon+USB socket	100pcs	0.034
	V407U2	13A 1 gang switched socket, neon+2 USB sockets	100pcs	0.034



V407U1

■ Conform to BS 1363 & EN 60950-1
■ Material: Bakelite
■ Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Victory Range

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	V413	13A fused connection unit+neon	100pcs	0.034
	V419	13A switched FCU'S+neon	100pcs	0.034



■ Conform to BS 1363: Part 4

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	V429	15A 1 gang switched round-pin socket	100pcs	0.034
	V431	15A 1 gang switched round-pin socket+neon	100pcs	0.034



■ Conform to BS 546

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	V444	16A 2 gang multi-function socket	100pcs	0.034
	V445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	V446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	V458	shaver socket	25pcs	0.029
	V460	16A 1 gang multi-function socket	100pcs	0.034



■ Material: Bakelite
■ Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)



Victory Range

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	V432	coaxial socket, single outlet	100pcs	0.034
	V433	coaxial socket, twin outlet	100pcs	0.034
	V166	single satellite socket	100pcs	0.034
	V168	double satellite socket	100pcs	0.034



>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	V452	telephone socket	100pcs	0.034
	V438	1 gang telephone socket, secondary	100pcs	0.034
	V439	1 gang telephone socket, master	100pcs	0.034
	V440	2 gang telephone socket, secondary	100pcs	0.034
	V442	1 gang RJ45 data socket (8 terminal)	100pcs	0.034
	V443	2 gang RJ45 data socket (8 terminal)	100pcs	0.034



>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	V820	20A connection plate	100pcs	0.034
	V821	45A connection plate	100pcs	0.034
	V401	1 gang blank plate	200pcs	0.034
	V402	2 gang blank plate	100pcs	0.029



■ Conform to BS 5733
■ Material: Bakelite
■ Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Honor RANGE

Superior material, heat resistance
Smooth sound and gentle touching feeling
Safe Shutter
Unique small button design, more fashion



Honor Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	H301	1 gang 1 way switch	100pcs	0.034
	H302	1 gang 2 way switch	100pcs	0.034
	H313	1 gang 2 way intermediate switch	100pcs	0.034
	H303	2 gang 1 way switch	100pcs	0.034
	H304	2 gang 2 way switch	100pcs	0.034
	H305	3 gang 1 way switch	100pcs	0.034
	H306	3 gang 2 way switch	100pcs	0.034
	H307	4 gang 1 way switch(3×6)	50pcs	0.029
	H308	4 gang 2 way switch(3×6)	50pcs	0.029
	H309	6 gang 1 way switch(3×6)	50pcs	0.029
	H310	6 gang 2 way switch(3×6)	50pcs	0.029




H301




H303


- Conform to BS EN 60 669-1
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)



Unique button design



Superior materials



Screw cap



Modern design

Honor Range

>> BELL SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	H317	10A bell switch(bell)	100pcs	0.034
	H319	10A bell switch(bell)+neon	100pcs	0.034




H317

■ Conform to BS EN 60 669-1

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	H324	20A 1 gang double pole switch+neon	100pcs	0.034
	H327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	H329	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	H331	45A switch+neon+13A switched socket+neon	50pcs	0.029




H327

■ Conform to BS EN 60 669-1
■ Material: Bakelite
■ Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	H350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	H351	250W 1 gang speed switch	100pcs	0.034
	H353	250W 2 gang dimmer switch, single pole	100pcs	0.034
	H355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	H356	500W 2 gang dimmer switch, single pole	100pcs	0.034
	H555	1000W 1 gang dimmer switch, single pole	100pcs	0.034
	H556	1000W 2 gang dimmer switch, single pole	50pcs	0.029



H355

■ Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
■ Clear terminal markings
■ Material: Bakelite
■ Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Honor Range

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	H405	13A 1 gang switched socket, single pole	100pcs	0.034
	H406	13A 2 gang switched socket, single pole	50pcs	0.029
	H409	13A 1 gang switched socket, double pole	100pcs	0.034
	H410	13A 2 gang switched socket, double pole	50pcs	0.029
	H407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	H408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	H411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	H412	13A 2 gang switched socket, double pole+neons	50pcs	0.029



H408

■ Conform to BS 1363: Part 2
■ Material: Bakelite
■ Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> MULTI FUNCTION SOCKETS

Picture	No.	Description	Carton	Volume(cbm)
	H407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	H408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	H407DU	1 gang 5 pin multi-function socket, single pole+neon	100pcs	0.034
	H408DU	2 gang 5 pin multi-function socket, single pole+neons	50pcs	0.029



H407U

■ Conform to BS 1363 & EN 60950-1
■ Material: Bakelite
■ Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13AMP SOCKETS WITH USB OUTLET

Picture	No.	Description	Carton	Volume(cbm)
	H4051	13A 1 gang switched socket, single pole+USB socket	100pcs	0.034
	H4062	13A 2 gang switched socket, single pole+2 USB sockets	50pcs	0.029
	H407U1	13A 1 gang multi-function switched socket, neon+USB socket	100pcs	0.034
	H407U2	13A 1 gang switched socket, neon+2 USB sockets	100pcs	0.034

Honor Range

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	H413	13A fused connection unit+neon	100pcs	0.034
	H419	13A switched FCU'S+neon	100pcs	0.034

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	H429	15A 1 gang switched round-pin socket	100pcs	0.034
	H431	15A 1 gang switched round-pin socket+neon	100pcs	0.034



H431

■ Conform to BS 546

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	H444	16A 2 gang multi-function socket	100pcs	0.034
	H445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	H446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	H458	shaver socket	25pcs	0.029
	H460	16A 1 gang multi-function socket	100pcs	0.034



H444

■ Material: Bakelite
■ Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	H432	coaxial socket,single outlet	100pcs	0.034
	H433	coaxial socket,twin outlet	100pcs	0.034
	H166	single satellite socket	100pcs	0.034
	H168	double satellite socket	100pcs	0.034



H432

Honor Range

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	H452	telephone socket	100pcs	0.034
	H438	1 gang telephone socket,secondary	100pcs	0.034
	H439	1 gang telephone socket,master	100pcs	0.034
	H440	2 gang telephone socket,secondary	100pcs	0.034
	H442	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	H443	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



H453

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	H820	20A connection plate	100pcs	0.034
	H821	45A connection plate	100pcs	0.034
	H401	1 gang blank plate	200pcs	0.034
	H402	2 gang blank plate	100pcs	0.029



H401

■ Conform to BS 5733
■ Material: Bakelite
■ Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Smart RANGE

Modern design, Super slim



0.5cm



Smart Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	A301	1 gang 1 way switch	100pcs	0.034
	A302	1 gang 2 way switch	100pcs	0.034
	A313	1 gang 2 way intermediate switch	100pcs	0.034
	A303	2 gang 1 way switch	100pcs	0.034
	A304	2 gang 2 way switch	100pcs	0.034
	A305	3 gang 1 way switch	100pcs	0.034
	A306	3 gang 2 way switch	100pcs	0.034
	A307	4 gang 1 way switch	50pcs	0.029
	A308	4 gang 2 way switch	50pcs	0.029
	A309	6 gang 1 way switch	50pcs	0.029
	A310	6 gang 2 way switch	50pcs	0.029



A301 A302



A305 A306

- Conform to BS EN 60 669-1
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)
- Supplied with 2 screws M3.5 for BS boxes

>> BELL SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	A317	10A bell switch	100pcs	0.034
	A319	10A bell switch+neon	100pcs	0.034



A317

- Conform to BS EN 60 669-1

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	A324	20A 1 gang double pole switch+neon	100pcs	0.034
	A327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	A329	45A 1 gang double pole switch+neon, double plate(86×146)	50pcs	0.029
	A331	45A switch+neon+13A switched socket+neon	50pcs	0.029



A324

- Conform to BS EN 60 669-1
- Material: Bakelite

Smart Range

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	A350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	A351	250W 1 gang speed switch	100pcs	0.034
	A353	250W 2 gang dimmer switch, single pole	100pcs	0.034
	A355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	A356	500W 2 gang dimmer switch, single pole	100pcs	0.034
	A555	1000W 1 gang dimmer switch, single pole	100pcs	0.034
	A556	1000W 2 gang dimmer switch, single pole	50pcs	0.029



A355

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	A405	13A 1 gang switched socket, single pole	100pcs	0.034
	A406	13A 2 gang switched socket, single pole	50pcs	0.029
	A409	13A 1 gang switched socket, double pole	100pcs	0.034
	A410	13A 2 gang switched socket, double pole	50pcs	0.029
	A407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	A408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	A411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	A412	13A 2 gang switched socket, double pole+neons	50pcs	0.029



A405



A406

- Conform to BS 1363: Part 2
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Smart Range

>> MULTI FUNCTION SOCKETS

Picture	No.	Description	Carton	Volume(cbm)
	A407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	A408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	A407DU	1 gang 5 pin multi-function socket, single pole+neon	100pcs	0.034
	A408DU	2 gang 5 pin multi-function socket, single pole+neons	50pcs	0.029



A407U

>> 13AMP SOCKETS WITH USB OUTLET

Picture	No.	Description	Carton	Volume(cbm)
	A4051	13A 1 gang switched socket, single pole+USB socket	100pcs	0.034
	A4062	13A 2 gang switched socket, single pole+2 USB sockets	50pcs	0.029
	A407U1	13A 1 gang multi-function switched socket, neon+USB socket	100pcs	0.034
	A407U2	13A 1 gang switched socket, neon+2 USB sockets	100pcs	0.029



A4051

- Conform to BS 1363 & EN 60950-1
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)



Smart Range

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	A413	13A fused connection unit+neon	100pcs	0.034
	A419	13A switched FCU'S+neon	100pcs	0.034



■ Conform to BS 1363: Part 4

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	A429	15A 1 gang switched round-pin socket	100pcs	0.034
	A431	15A 1 gang switched round-pin socket+neon	100pcs	0.034



■ Conform to BS 546
■ Material: Bakelite

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	A444	16A 2 gang multi-function socket	100pcs	0.034
	A445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	A446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	A458	shaver socket	50pcs	0.029
	A460	16A 1 gang multi-function socket	100pcs	0.034



■ Conform to BS 4573, BS60742



Smart Range

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	A432	coaxial socket, single outlet	100pcs	0.034
	A433	coaxial socket, twin outlet	100pcs	0.034
	A166	single satellite socket	100pcs	0.034
	A168	double satellite socket	100pcs	0.034



A432

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	A452	telephone socket	100pcs	0.034
	A438	1 gang telephone socket, secondary	100pcs	0.034
	A439	1 gang telephone socket, master	100pcs	0.034
	A440	2 gang telephone socket, secondary	100pcs	0.034
	A442	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	A443	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



A452

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	A820	20A connection plate	100pcs	0.034
	A821	45A connection plate	100pcs	0.034
	A401	1 gang blank plate	200pcs	0.034
	A402	2 gang blank plate	100pcs	0.029



A401

■ Conform to BS 5733
■ Material: Bakelite
■ Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Elite RANGE

Modern design Super slim



Specifications:

1. Super Slim Plate
2. Modern Design
3. Superior Materials
4. Safe Shutter

Elite Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	E301	1 gang 1 way switch	100pcs	0.034
	E302	1 gang 2 way switch	100pcs	0.034
	E313	1 gang 2 way intermediate switch	100pcs	0.034
	E303	2 gang 1 way switch	100pcs	0.034
	E304	2 gang 2 way switch	100pcs	0.034
	E305	3 gang 1 way switch	100pcs	0.034
	E306	3 gang 2 way switch	100pcs	0.034
	E307	4 gang 1 way switch	50pcs	0.029
	E308	4 gang 2 way switch	50pcs	0.029



E301 E302



E303 E304

- Conform to BS EN 60 669-1
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)
- Supplied with 2 screws M3.5 for BS boxes

>> BELL SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	E317	10A bell switch	100pcs	0.034
	E319	10A bell switch+neon	100pcs	0.034



E317

- Conform to BS EN 60 669-1

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	E324	20A 1 gang double pole switch+neon	100pcs	0.034
	E327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	E329	45A 1 gang double pole switch+neon, double plate(86×146)	50pcs	0.029
	E331	45A switch+neon+13A switched socket+neon	50pcs	0.029



E327

- Conform to BS EN 60 669-1
- Material: Bakelite

Elite Range

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	E350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	E351	250W 1 gang speed switch	100pcs	0.034
	E353	250W 2 gang dimmer switch, single pole	50pcs	0.034
	E355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	E356	500W 2 gang dimmer switch, single pole	100pcs	0.034
	E555	1000W 1 gang dimmer switch, single pole	100pcs	0.034
	E556	1000W 2 gang dimmer switch, single pole	50pcs	0.029



E355

- Conform to BS EN 60 669-2-1, BS 55014-1, BS 55014-2
- Clear terminal markings
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	E405	13A 1 gang switched socket, single pole	100pcs	0.034
	E406	13A 2 gang switched socket, single pole	50pcs	0.029
	E407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	E408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	E411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	E412	13A 2 gang switched socket, double pole+neons	50pcs	0.029



E407

- Conform to BS 1363: Part 2
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> MULTI FUNCTION SOCKETS

Picture	No.	Description	Carton	Volume(cbm)
	E407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	E408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	E407DU	1 gang 5 pin multi-function socket, single pole+neon	100pcs	0.034
	E408DU	2 gang 5 pin multi-function socket, single pole+neons	50pcs	0.029



E407DU

Elite Range

>> 13AMP SOCKETS WITH USB OUTLET

Picture	No.	Description	Carton	Volume(cbm)
	E4051	13A 1 gang switched socket, single pole+USB socket	100pcs	0.034
	E4062	13A 2 gang switched socket, single pole+2 USB sockets	50pcs	0.029
	E407U1	13A 1 gang multi-function switched socket, neon+USB socket	100pcs	0.034
	E407U2	13A 1 gang switched socket, neon+2 USB sockets	100pcs	0.029



E4051

- Conform to BS 1363 & EN 60950-1
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	E413	13A fused connection unit+neon	100pcs	0.034
	E419	13A switched FCU'S+neon	100pcs	0.034



E413

- Conform to BS 1363: Part 4

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	E429	15A 1 gang switched round-pin socket	100pcs	0.034
	E431	15A 1 gang switched round-pin socket+neon	100pcs	0.034



E429

- Conform to BS 546
- Material: Bakelite

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	E444	16A 2 gang multi-function socket	100pcs	0.034
	E445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	E446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	E458	shaver socket	50pcs	0.029
	E460	16A 1 gang multi-function socket	100pcs	0.034



E445

- Conform to BS 4573, BS60742

Elite Range

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	E432	coaxial socket,single outlet	100pcs	0.034
	E433	coaxial socket,twin outlet	100pcs	0.034
	E166	single satellite socket	100pcs	0.034
	E168	double satellite socket	100pcs	0.034



E166

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	E452	telephone socket	100pcs	0.034
	E438	1 gang telephone socket,secondary	100pcs	0.034
	E439	1 gang telephone socket,master	100pcs	0.034
	E440	2 gang telephone socket,secondary	100pcs	0.034
	E442	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	E443	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



E452

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	E820	20A connection plate	100pcs	0.034
	E821	45A connection plate	100pcs	0.034
	E401	1 gang blank plate	200pcs	0.034
	E402	2 gang blank plate	100pcs	0.029



E401

- Conform to BS 5733
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

ROYAL RANGE

Your trustable choice



3.9mm



Perfect Curve

✓ LED Light



Specifications :

1. Streamline Slim design, better touch feeling
2. Silver alloy contact, bronze conductors, more durable and safer
3. LED light available for your choice, more fashion
4. Multi colors for your choice, white grey gold silver black etc

Royal Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	RO301	1 gang 1 way switch	100pcs	0.034
	RO302	1 gang 2 way switch	100pcs	0.034
	RO303	2 gang 1 way switch	100pcs	0.034
	RO304	2 gang 2 way switch	100pcs	0.034
	RO305	3 gang 1 way switch	100pcs	0.034
	RO306	3 gang 2 way switch	100pcs	0.034
	RO307	4 gang 1 way switch(3x3)	100pcs	0.034
	RO308	4 gang 2 way switch(3x3)	100pcs	0.034



- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> BELL SWITCH & INTERMEDIATE SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	RO313	1 gang 2 way intermediate switch	100pcs	0.034
	RO317	10A bell switch(bell)	100pcs	0.029



>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	RO324	20A 1 gang double pole switch+neon	100pcs	0.034
	RO327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	RO329	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	RO331	45A switch+neon+13A switched socket+neon	50pcs	0.029



- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Royal Range

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	RO350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	RO351	250W 1 gang speed switch	100pcs	0.034
	RO355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	RO555	1000W 1 gang dimmer switch, single pole	100pcs	0.034



- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	RO405	13A 1 gang switched socket, single pole	100pcs	0.034
	RO406	13A 2 gang switched socket, single pole	50pcs	0.029
	RO407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	RO408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	RO407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	RO408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	RO407DU	1 gang 5 pin multi-function socket, single pole+neon	100pcs	0.034
	RO409	13A 1 gang switched socket, double pole	100pcs	0.034
	RO410	13A 2 gang switched socket, double pole	50pcs	0.029
	RO411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	RO412	13A 2 gang switched socket, double pole+neons	50pcs	0.029



- Conform to BS 1363: Part 2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Royal Range

>> 13 AMP SOCKET WITH USB OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	RO4052	13A 1 gang switched socket, single pole+double USB	100pcs	0.034
	RO405U2	13A 1 gang multi-function switched socket+double USB	100pcs	0.034
	RO406U2	13A 2 gang switched socket, single pole+double USB	50pcs	0.029
	RO408U2	13A 2 gang switched socket, double pole+double USB	50pcs	0.029



RO405U2

- Conform to BS 1363: Part 2
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	RO429	15A 1 gang switched round-pin socket	100pcs	0.034
	RO431	15A 1 gang switched round-pin socket+neon	100pcs	0.034



RO429

- Conform to BS 546

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	RO413	13A fused connection unit+neon	100pcs	0.034
	RO419	13A switched FCU'S+neon	100pcs	0.034

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	RO444	16A 2 gang multi-function socket	100pcs	0.034
	RO445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	RO446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	RO458	shaver socket	25pcs	0.029
	RO460	16A 1 gang multi-function socket	100pcs	0.034

Royal Range

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	RO432	coaxial socket, single outlet	100pcs	0.034
	RO433	coaxial socket, twin outlet	100pcs	0.034
	RO166	single satellite socket	100pcs	0.034
	RO168	double satellite socket	100pcs	0.034



RO432

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	RO452	telephone socket	100pcs	0.034
	RO438	1 gang telephone socket, secondary	100pcs	0.034
	RO439	1 gang telephone socket, master	100pcs	0.034
	RO440	2 gang telephone socket, secondary	100pcs	0.0286
	RO442	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	RO443	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



RO438

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	RO820	20A connection plate	100pcs	0.034
	RO821	45A connection plate	100pcs	0.034
	RO401	1 gang blank plate	200pcs	0.034
	RO402	2 gang blank plate	100pcs	0.029



RO401

- Conform to BS 5733
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

VENUS Range

1. Double streamlined design on the front and elegant arc on the side, new visual experience
2. Boundless design of socket button, breaking the limit, avant-garde design
3. Matte painted borders and shiny plating border, understated yet luxurious.

GERY COLOR



BLACK COLOR



WHITE COLOR



SLIVER COLOR



GLOD COLOR



Venus Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	V301	1 gang 1 way switch	100pcs	0.034
	V302	1 gang 2 way switch	100pcs	0.034
	V303	2 gang 1 way switch	100pcs	0.034
	V304	2 gang 2 way switch	100pcs	0.034
	V305	3 gang 1 way switch	100pcs	0.034
	V306	3 gang 2 way switch	100pcs	0.034
	V307	4 gang 1 way switch(3×3)	100pcs	0.034
	V308	4 gang 2 way switch(3×3)	100pcs	0.034



V301 V302

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> BELL SWITCH & INTERMEDIATE SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	V313	1 gang 2 way intermediate switch	100pcs	0.034
	V317	10A bell switch(bell)	100pcs	0.029



V317

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	V324	20A 1 gang double pole switch+neon	100pcs	0.034
	V327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	V329	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	V331	45A switch+neon+13A switched socket+neon	50pcs	0.029



V327

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Venus Range

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	V350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	V351	250W 1 gang speed switch	100pcs	0.034
	V355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	V555	1000W 1 gang dimmer switch, single pole	100pcs	0.034



V351

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	V405	13A 1 gang switched socket, single pole	100pcs	0.034
	V406	13A 2 gang switched socket, single pole	50pcs	0.029
	V407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	V408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	V407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	V408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	V407DU	1 gang 5 pin multi-function socket, single pole+neon	100pcs	0.034
	V409	13A 1 gang switched socket, double pole	100pcs	0.034
	V410	13A 2 gang switched socket, double pole	50pcs	0.029
	V411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	V412	13A 2 gang switched socket, double pole+neons	50pcs	0.029



V407

- Conform to BS 1363: Part 2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Venus Range

>> 13 AMP SOCKET WITH USB OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	V4052	13A 1 gang switched socket, single pole+USB+neon	100pcs	0.034
	V405U2	13A 1 gang multi-function switched socket+USB+neon	100pcs	0.034
	V406U2	13A 2 gang switched socket, single pole+double USB	50pcs	0.029
	V408U2	13A 2 gang switched socket, double pole+double USB++neons	50pcs	0.029



V4052

- Conform to BS 1363: Part 2
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	V429	15A 1 gang switched round-pin socket	100pcs	0.034
	V431	15A 1 gang switched round-pin socket+neon	100pcs	0.034



V429

- Conform to BS 546

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	V413	13A fused connection unit+neon	100pcs	0.034
	V419	13A switched FCU'S+neon	100pcs	0.034

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	V444	16A 2 gang multi-function socket	100pcs	0.034
	V445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	V446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	V458	shaver socket	25pcs	0.029
	V460	16A 1 gang multi-function socket	100pcs	0.034



V445

Venus Range

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	V432	coaxial socket,single outlet	100pcs	0.034
	V433	coaxial socket,twin outlet	100pcs	0.034
	V166	single satellite socket	100pcs	0.034
	V168	double satellite socket	100pcs	0.034



V432

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	V452	telephone socket	100pcs	0.034
	V438	1 gang telephone socket,secondary	100pcs	0.034
	V439	1 gang telephone socket,master	100pcs	0.034
	V440	2 gang telephone socket,secondary	100pcs	0.0286
	V442	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	V443	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



V438

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	V820	20A connection plate	100pcs	0.034
	V821	45A connection plate	100pcs	0.034
	V401	1 gang blank plate	200pcs	0.034
	V402	2 gang blank plate	100pcs	0.029



V401

- Conform to BS 5733
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

INFINIT Range

Extreme slim Panel




Specifications:

1. Extreme slim Panel design, 6.5mm thickness
2. Silver alloy contact, superior copper, 25years guarantee
3. Night neon available, easy location at night
4. Glass acrylic plastic& painting panel for your choices and multi colors are available.

6.5mm extreme thickness

2.5° button angle



WHITE&PAINTING



GLASS&PAINTING



ACRYLIC&PAINTING

Infini Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	I301	1 gang 1 way switch	100pcs	0.034
	I302	1 gang 2 way switch	100pcs	0.034
	I303	2 gang 1 way switch	100pcs	0.034
	I304	2 gang 2 way switch	100pcs	0.034
	I305	3 gang 1 way switch	100pcs	0.034
	I306	3 gang 2 way switch	100pcs	0.034
	I307	4 gang 1 way switch(3x3)	100pcs	0.034
	I308	4 gang 2 way switch(3x3)	100pcs	0.034



I301 I302

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> BELL SWITCH & INTERMEDIATE SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	I313	1 gang 2 way intermediate switch	100pcs	0.034
	I317	10A bell switch(bell)	100pcs	0.029



I317

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	I324	20A 1 gang double pole switch+neon	100pcs	0.034
	I327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	I329	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	I331	45A switch+neon+13A switched socket+neon	50pcs	0.029



I327

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Infini Range

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	I350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	I351	250W 1 gang speed switch	100pcs	0.034
	I355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	I555	1000W 1 gang dimmer switch, single pole	100pcs	0.034

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	I405	13A 1 gang switched socket, single pole	100pcs	0.034
	I406	13A 2 gang switched socket, single pole	50pcs	0.029
	I407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	I408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	I407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	I408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	I407DU	1 gang 5 pin multi-function socket, single pole+neon	100pcs	0.034
	I409	13A 1 gang switched socket, double pole	100pcs	0.034
	I410	13A 2 gang switched socket, double pole	50pcs	0.029
	I411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	I412	13A 2 gang switched socket, double pole+neons	50pcs	0.029



I407

- Conform to BS 1363: Part 2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Infini Range

>> 13 AMP SOCKET WITH USB OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	I4052	13A 1 gang switched socket, single pole+double USB	100pcs	0.034
	I405U2	13A 1 gang multi-function switched socket+double USB	100pcs	0.034
	I406U2	13A 2 gang switched socket, single pole+double USB	50pcs	0.029
	I408U2	13A 2 gang switched socket, double pole+double USB	50pcs	0.029



I405U2

- Conform to BS 1363: Part 2
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	I429	15A 1 gang switched round-pin socket	100pcs	0.034
	I431	15A 1 gang switched round-pin socket+neon	100pcs	0.034



I429

- Conform to BS 546

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	I413	13A fused connection unit+neon	100pcs	0.034
	I419	13A switched FCU'S+neon	100pcs	0.034

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	I444	16A 2 gang multi-function socket	100pcs	0.034
	I445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	I446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	I458	shaver socket	25pcs	0.029
	I460	16A 1 gang multi-function socket	100pcs	0.034

Infini Range

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	I432	coaxial socket, single outlet	100pcs	0.034
	I433	coaxial socket, twin outlet	100pcs	0.034
	I166	single satellite socket	100pcs	0.034
	I168	double satellite socket	100pcs	0.034



I432

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	I452	telephone socket	100pcs	0.034
	I438	1 gang telephone socket, secondary	100pcs	0.034
	I439	1 gang telephone socket, master	100pcs	0.034
	I440	2 gang telephone socket, secondary	100pcs	0.0286
	I442	1 gang RJ45 data socket (8 terminal)	100pcs	0.034
	I443	2 gang RJ45 data socket (8 terminal)	100pcs	0.034



I438

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	I820	20A connection plate	100pcs	0.034
	I821	45A connection plate	100pcs	0.034
	I401	1 gang blank plate	200pcs	0.034
	I402	2 gang blank plate	100pcs	0.029



I401

- Conform to BS 5733
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Lavina Range



Specifications:

1. Streamline design, smooth touch feeling
2. Silver alloy contact, bronze conductors, more durable and safer
3. Night neon available on switch, easy location at night
4. Multi panel and colors for your choice and ODM, satisfy your personal need

Lavina Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	LA301	1 gang 1 way switch	100pcs	0.034
	LA302	1 gang 2 way switch	100pcs	0.034
	LA303	2 gang 1 way switch	100pcs	0.034
	LA304	2 gang 2 way switch	100pcs	0.034
	LA305	3 gang 1 way switch	100pcs	0.034
	LA306	3 gang 2 way switch	100pcs	0.034
	LA307	4 gang 1 way switch(3×3)	100pcs	0.034
	LA308	4 gang 2 way switch(3×3)	100pcs	0.034



LA301 LA302

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> BELL SWITCH & INTERMEDIATE SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	LA313	1 gang 2 way intermediate switch	100pcs	0.034
	LA317	10A bell switch(bell)	100pcs	0.029



LA317

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	LA324	20A 1 gang double pole switch+neon	100pcs	0.034
	LA327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	LA329	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	LA331	45A switch+neon+13A switched socket+neon	50pcs	0.029



LA324

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Lavina Range

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	LA350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	LA351	250W 1 gang speed switch	100pcs	0.034
	LA355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	LA555	1000W 1 gang dimmer switch, single pole	100pcs	0.034



LA355

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	LA405	13A 1 gang switched socket, single pole	100pcs	0.034
	LA406	13A 2 gang switched socket, single pole	50pcs	0.029
	LA407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	LA408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	LA407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	LA408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	LA407DU	1 gang 5 pin multi-function socket, single pole+neon	100pcs	0.034
	LA409	13A 1 gang switched socket, double pole	100pcs	0.034
	LA410	13A 2 gang switched socket, double pole	50pcs	0.029
	LA411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	LA412	13A 2 gang switched socket, double pole+neons	50pcs	0.029



LA407

- Conform to BS 1363: Part 2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Lavina Range

>> 13 AMP SOCKET WITH USB OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	LA4052	13A 1 gang switched socket, single pole+USB+neon	100pcs	0.034
	LA405U2	13A 1 gang multi-function switched socket+USB+neon	100pcs	0.034
	LA406U2	13A 2 gang switched socket, single pole+double USB	50pcs	0.029
	LA408U2	13A 2 gang switched socket, double pole+double USB++neons	50pcs	0.029



LA4052

- Conform to BS 1363: Part 2
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	LA429	15A 1 gang switched round-pin socket	100pcs	0.034
	LA431	15A 1 gang switched round-pin socket+neon	100pcs	0.034



LA431

- Conform to BS 546

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	LA413	13A fused connection unit+neon	100pcs	0.034
	LA419	13A switched FCU'S+neon	100pcs	0.034

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	LA444	16A 2 gang multi-function socket	100pcs	0.034
	LA445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	LA446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	LA458	shaver socket	25pcs	0.029
	LA460	16A 1 gang multi-function socket	100pcs	0.034

Lavina Range

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	LA432	coaxial socket, single outlet	100pcs	0.034
	LA433	coaxial socket, twin outlet	100pcs	0.034
	LA166	single satellite socket	100pcs	0.034
	LA168	double satellite socket	100pcs	0.034



LA166

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	LA452	telephone socket	100pcs	0.034
	LA438	1 gang telephone socket, secondary	100pcs	0.034
	LA439	1 gang telephone socket, master	100pcs	0.034
	LA440	2 gang telephone socket, secondary	100pcs	0.0286
	LA442	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	LA443	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



LA438

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	LA820	20A connection plate	100pcs	0.034
	LA821	45A connection plate	100pcs	0.034
	LA401	1 gang blank plate	200pcs	0.034
	LA402	2 gang blank plate	100pcs	0.029



LA401

- Conform to BS 5733
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Deco Range



Gold wire drawing

Silver wire drawing

Pearl white wire drawing

Specifications:

1. Maximized button switch, slim switch edge
2. Silver alloy contact, bronze conductors, more durable and safe
3. Brushed panel look more fashion and high-end
4. Night lights design, easy located switch in dark

Rounded edges
to prevent scratches



Smooth line and metal coating
more fashion



Thicker plate, no deform
better flame resistant



electroplating process,
brushed design, more texture

Deco Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	D301	1 gang 1 way switch	100pcs	0.034
	D302	1 gang 2 way switch	100pcs	0.034
	D303	2 gang 1 way switch	100pcs	0.034
	D304	2 gang 2 way switch	100pcs	0.034
	D305	3 gang 1 way switch	100pcs	0.034
	D306	3 gang 2 way switch	100pcs	0.034
	D307	4 gang 1 way switch(3×3)	100pcs	0.034
	D308	4 gang 2 way switch(3×3)	100pcs	0.034



D301 D302

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> BELL SWITCH & INTERMEDIATE SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	D313	1 gang 2 way intermediate switch	100pcs	0.034
	D317	10A bell switch(bell)	100pcs	0.029



D317

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	D324	20A 1 gang double pole switch+neon	100pcs	0.034
	D327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	D329	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	D331	45A switch+neon+13A switched socket+neon	50pcs	0.029



D327

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Deco Range

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	D350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	D351	250W 1 gang speed switch	100pcs	0.034
	D355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	D555	1000W 1 gang dimmer switch, single pole	100pcs	0.034



D355

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	D405	13A 1 gang switched socket, single pole	100pcs	0.034
	D406	13A 2 gang switched socket, single pole	50pcs	0.029
	D407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	D408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	D407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	D408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	D407DU	1 gang 5 pin multi-function socket, single pole+neon	100pcs	0.034
	D409	13A 1 gang switched socket, double pole	100pcs	0.034
	D410	13A 2 gang switched socket, double pole	50pcs	0.029
	D411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	D412	13A 2 gang switched socket, double pole+neons	50pcs	0.029



D405

- Conform to BS 1363: Part 2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Deco Range

>> 13 AMP SOCKET WITH USB OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	D4052	13A 1 gang switched socket, single pole+double USB	100pcs	0.034
	D405U2	13A 1 gang multi-function switched socket+double USB	100pcs	0.034
	D406U2	13A 2 gang switched socket, single pole+double USB	50pcs	0.029
	D408U2	13A 2 gang switched socket, double pole+double USB	50pcs	0.029



D405U2

- Conform to BS 1363: Part 2
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	D429	15A 1 gang switched round-pin socket	100pcs	0.034
	D431	15A 1 gang switched round-pin socket+neon	100pcs	0.034



D429

- Conform to BS 546

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	D413	13A fused connection unit+neon	100pcs	0.034
	D419	13A switched FCU'S+neon	100pcs	0.034

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	D444	16A 2 gang multi-function socket	100pcs	0.034
	D445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	D446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	D458	shaver socket	25pcs	0.029
	D460	16A 1 gang multi-function socket	100pcs	0.034



D445

Deco Range

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	D432	coaxial socket,single outlet	100pcs	0.034
	D433	coaxial socket,twin outlet	100pcs	0.034
	D166	single satellite socket	100pcs	0.034
	D168	double satellite socket	100pcs	0.034



D432

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	D452	telephone socket	100pcs	0.034
	D438	1 gang telephone socket,secondary	100pcs	0.034
	D439	1 gang telephone socket,master	100pcs	0.034
	D440	2 gang telephone socket,secondary	100pcs	0.0286
	D442	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	D443	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



D440

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	D820	20A connection plate	100pcs	0.034
	D821	45A connection plate	100pcs	0.034
	D401	1 gang blank plate	200pcs	0.034
	D402	2 gang blank plate	100pcs	0.029



D401

- Conform to BS 5733
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

LUXURY RANGE



Specifications:

1. Streamline design, smooth touch feeling
2. Silver alloy contact, bronze conductors, more durable and safer
3. Night neon available on switch, easy location at night
4. Multi panel and colors for your choice and ODM



Electroplating edge design
More fashion and Luxury

Borderless panel

Streamline big button design,
your perfect choice



A variety of colors for your choice



WHITE



WHITE+GOLD



GOLD



GREY



BLACK

Luxury Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	LU301	1 gang 1 way switch	100pcs	0.034
	LU302	1 gang 2 way switch	100pcs	0.034
	LU303	2 gang 1 way switch	100pcs	0.034
	LU304	2 gang 2 way switch	100pcs	0.034
	LU305	3 gang 1 way switch	100pcs	0.034
	LU306	3 gang 2 way switch	100pcs	0.034
	LU307	4 gang 1 way switch(3×3)	100pcs	0.034
	LU308	4 gang 2 way switch(3×3)	100pcs	0.034



LU301 LU302

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> BELL SWITCH & INTERMEDIATE SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	LU313	1 gang 2 way intermediate switch	100pcs	0.034
	LU317	10A bell switch(bell)	100pcs	0.029



LU317

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	LU324	20A 1 gang double pole switch+neon	100pcs	0.034
	LU327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	LU329	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	LU331	45A switch+neon+13A switched socket+neon	50pcs	0.029



LU324

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Luxury Range

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	LU350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	LU351	250W 1 gang speed switch	100pcs	0.034
	LU355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	LU555	1000W 1 gang dimmer switch, single pole	100pcs	0.034



LU355

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	LU405	13A 1 gang switched socket, single pole	100pcs	0.034
	LU406	13A 2 gang switched socket, single pole	50pcs	0.029
	LU407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	LU408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	LU407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	LU408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	LU407DU	1 gang 5 pin multi-function socket, single pole+neon	100pcs	0.034
	LU409	13A 1 gang switched socket, double pole	100pcs	0.034
	LU410	13A 2 gang switched socket, double pole	50pcs	0.029
	LU411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	LU412	13A 2 gang switched socket, double pole+neons	50pcs	0.029



LU407

- Conform to BS 1363: Part 2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Luxury Range

>> 13 AMP SOCKET WITH USB OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	LU4052	13A 1 gang switched socket, single pole+USB+neon	100pcs	0.034
	LU405U2	13A 1 gang multi-function switched socket+USB+neon	100pcs	0.034
	LU406U2	13A 2 gang switched socket, single pole+double USB	50pcs	0.029
	LU408U2	13A 2 gang switched socket, double pole+double USB++neons	50pcs	0.029



LU4052

- Conform to BS 1363: Part 2
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	LU429	15A 1 gang switched round-pin socket	100pcs	0.034
	LU431	15A 1 gang switched round-pin socket+neon	100pcs	0.034



LU431

- Conform to BS 546

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	LU413	13A fused connection unit+neon	100pcs	0.034
	LU419	13A switched FCU'S+neon	100pcs	0.034

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	LU444	16A 2 gang multi-function socket	100pcs	0.034
	LU445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	LU446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	LU458	shaver socket	25pcs	0.029
	LU460	16A 1 gang multi-function socket	100pcs	0.034

Luxury Range

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	LU432	coaxial socket, single outlet	100pcs	0.034
	LU433	coaxial socket, twin outlet	100pcs	0.034
	LU166	single satellite socket	100pcs	0.034
	LU168	double satellite socket	100pcs	0.034



LU432

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	LU452	telephone socket	100pcs	0.034
	LU438	1 gang telephone socket, secondary	100pcs	0.034
	LU439	1 gang telephone socket, master	100pcs	0.034
	LU440	2 gang telephone socket, secondary	100pcs	0.0286
	LU442	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	LU443	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



LU438

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	LU820	20A connection plate	100pcs	0.034
	LU821	45A connection plate	100pcs	0.034
	LU401	1 gang blank plate	200pcs	0.034
	LU402	2 gang blank plate	100pcs	0.029



LU401

- Conform to BS 5733
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

CLASSIC RANGE

Modern Design, Stylish Look



1. Superb button, multi colors for choice
2. Copper materials, safety guarantee
3. Modern design, Stylish Look



Classic Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	C301	1 gang 1 way switch	100pcs	0.034
	C302	1 gang 2 way switch	100pcs	0.034
	C303	2 gang 1 way switch	100pcs	0.034
	C304	2 gang 2 way switch	100pcs	0.034
	C305	3 gang 1 way switch	100pcs	0.034
	C306	3 gang 2 way switch	100pcs	0.034
	C307	4 gang 1 way switch(3×3)	100pcs	0.034
	C308	4 gang 2 way switch(3×3)	100pcs	0.034
	C301S	1 gang 1 way switch	100pcs	0.034
	C302S	1 gang 2 way switch	100pcs	0.034
	C303S	2 gang 1 way switch	100pcs	0.034
	C304S	2 gang 2 way switch	100pcs	0.034
	C305S	3 gang 1 way switch	100pcs	0.034
	C306S	3 gang 2 way switch	100pcs	0.034
	C307S	4 gang 1 way switch(3×3)	100pcs	0.034
	C308S	4 gang 2 way switch(3×3)	100pcs	0.034



C301 C302

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> BELL SWITCH & INTERMEDIATE SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	C313	1 gang 2 way intermediate switch	100pcs	0.034
	C317	10A bell switch(bell)	100pcs	0.029



C317

Classic Range

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	C324	20A 1 gang double pole switch+neon	100pcs	0.034
	C327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	C329	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	C331	45A switch+neon+13A switched socket+neon	50pcs	0.029



C324

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	C350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	C351	250W 1 gang speed switch	100pcs	0.034
	C355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	C555	1000W 1 gang dimmer switch, single pole	100pcs	0.034




C355

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	C405	13A 1 gang switched socket, single pole	100pcs	0.034
	C406	13A 2 gang switched socket, single pole	50pcs	0.029
	C407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	C408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	C407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	C408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	C407DU	1 gang 5 pin multi-function socket, single pole+neon	100pcs	0.034
	C409	13A 1 gang switched socket, double pole	100pcs	0.034
	C410	13A 2 gang switched socket, double pole	50pcs	0.029
	C411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	C412	13A 2 gang switched socket, double pole+neons	50pcs	0.029



C405

- Conform to BS 1363: Part 2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Classic Range

>> 13 AMP SOCKET WITH USB OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	C4052	13A 1 gang switched socket, single pole+double USB	100pcs	0.034
	C405U2	13A 1 gang multi-function switched socket+double USB	100pcs	0.034
	C406U2	13A 2 gang switched socket, single pole+double USB	50pcs	0.029
	C408U2	13A 2 gang switched socket, double pole+double USB	50pcs	0.029




C405U2

- Conform to BS 1363: Part 2
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	C429	15A 1 gang switched round-pin socket	100pcs	0.034
	C431	15A 1 gang switched round-pin socket+neon	100pcs	0.034



C429

- Conform to BS 546

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	C413	13A fused connection unit+neon	100pcs	0.034
	C419	13A switched FCU'S+neon	100pcs	0.034

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	C444	16A 2 gang multi-function socket	100pcs	0.034
	C445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	C446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	C458	shaver socket	25pcs	0.029
	C460	16A 1 gang multi-function socket	100pcs	0.034

Classic Range

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	C432	coaxial socket,single outlet	100pcs	0.034
	C433	coaxial socket,twin outlet	100pcs	0.034
	C166	single satellite socket	100pcs	0.034
	C168	double satellite socket	100pcs	0.034



C432

>> TELEPHONE & DATA OUTLETS


Picture	No.	Description	Carton	Volume(cbm)
	C452	telephone socket	100pcs	0.034
	C438	1 gang telephone socket,secondary	100pcs	0.034
	C439	1 gang telephone socket,master	100pcs	0.034
	C440	2 gang telephone socket,secondary	100pcs	0.0286
	C442	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	C443	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



C442

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	C820	20A connection plate	100pcs	0.034
	C821	45A connection plate	100pcs	0.034
	C401	1 gang blank plate	200pcs	0.034
	C402	2 gang blank plate	100pcs	0.029



C401

- Conform to BS 5733
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Gorly Range



Coated metal plate,
Stronger and durable



Specifications:

1. Multi frames are available Frame
2. Coated metal plate, Stronger and durable
3. Environment friendly silver alloy contact
4. Fashion design, stylish looking



Frame A



Frame B



Frame C



Frame D

Glory Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	G301	1 gang 1 way switch	100pcs	0.034
	G302	1 gang 2 way switch	100pcs	0.034
	G303	2 gang 1 way switch	100pcs	0.034
	G304	2 gang 2 way switch	100pcs	0.034
	G305	3 gang 1 way switch	100pcs	0.034
	G306	3 gang 2 way switch	100pcs	0.034
	G307	4 gang 1 way switch(3×3)	100pcs	0.034
	G308	4 gang 2 way switch(3×3)	100pcs	0.034



G301 G302

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> BELL SWITCH & INTERMEDIATE SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	R313	1 gang 2 way intermediate switch	100pcs	0.034
	R317	10A bell switch(bell)	100pcs	0.029

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	G324	20A 1 gang double pole switch+neon	100pcs	0.034
	G327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	G329	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	G331	45A switch+neon+13A switched socket+neon	50pcs	0.029



G324

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Glory Range

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	G350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	G351	250W 1 gang speed switch	100pcs	0.034
	G355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	G356	500W 2 gang dimmer switch, single pole	100pcs	0.034



G355

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	G405	13A 1 gang switched socket, single pole	100pcs	0.034
	G406	13A 2 gang switched socket, single pole	50pcs	0.029
	G407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	G408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	G407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	G408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	G407DU	1 gang 5 pin multi-function socket, single pole+neon	100pcs	0.034
	G409	13A 1 gang switched socket, double pole	100pcs	0.034
	G410	13A 2 gang switched socket, double pole	50pcs	0.029
	G411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	G412	13A 2 gang switched socket, double pole+neons	50pcs	0.029



G405

- Conform to BS 1363: Part 2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Glory Range

>> 13 AMP SOCKET WITH USB OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	G4042	13A 1 gang socket+double USB	100pcs	0.034
	G407U2	13A 1 gang switched socket, single pole+double USB+neons	100pcs	0.034
	G404U2	13A 1 gang multi-function socket+double USB	50pcs	0.029
	G408U2	13A 2 gang switched socket, double pole+double USB+neons	50pcs	0.029



G4042

- Conform to BS 1363: Part 2
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	G429	15A 1 gang switched round-pin socket	100pcs	0.034
	G431	15A 1 gang switched round-pin socket+neon	100pcs	0.034



G429

- Conform to BS 546

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	G413	13A fused connection unit+neon	100pcs	0.034
	G419	13A switched FCU'S+neon	100pcs	0.034



G419

- Conform to BS 1363: Part 4

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	G444	16A 2 gang multi-function socket	100pcs	0.034
	G445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	G446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	G458	shaver socket	25pcs	0.029
	G460	16A 1 gang multi-function socket	100pcs	0.034



G445

Glory Range

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	G432	coaxial socket,single outlet	100pcs	0.034
	G433	coaxial socket,twin outlet	100pcs	0.034
	G166	single satellite socket	100pcs	0.034
	G168	double satellite socket	100pcs	0.034



G433

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	G452	telephone socket	100pcs	0.034
	G438	1 gang telephone socket,secondary	100pcs	0.034
	G439	1 gang telephone socket,master	100pcs	0.034
	G440	2 gang telephone socket,secondary	100pcs	0.0286
	G442	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	G443	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



G438

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	G820	20A connection plate	100pcs	0.034
	G821	45A connection plate	100pcs	0.034
	G401	1 gang blank plate	200pcs	0.034
	G402	2 gang blank plate	100pcs	0.029



G402

- Conform to BS 5733
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

MARVEL Range

Composite acrylic



Specifications:

1. Composite acrylic plate, luxury leather looking.
2. Silver alloy contact, bronze conductors, more durable and safer
3. Socket surrounding golden frame, superb shine
4. Acrylic and glass plate for choice and multi colors are available, white, grey, black etc

Marvel Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	MA301	1 gang 1 way switch	100pcs	0.034
	MA302	1 gang 2 way switch	100pcs	0.034
	MA303	2 gang 1 way switch	100pcs	0.034
	MA304	2 gang 2 way switch	100pcs	0.034
	MA305	3 gang 1 way switch	100pcs	0.034
	MA306	3 gang 2 way switch	100pcs	0.034
	MA307	4 gang 1 way switch(3×3)	100pcs	0.034
	MA308	4 gang 2 way switch(3×3)	100pcs	0.034



MA301 MA302

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> BELL SWITCH & INTERMEDIATE SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	MA313	1 gang 2 way intermediate switch	100pcs	0.034
	MA317	10A bell switch(bell)	100pcs	0.029



MA317

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	MA324	20A 1 gang double pole switch+neon	100pcs	0.034
	MA327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	MA329	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	MA331	45A switch+neon+13A switched socket+neon	50pcs	0.029

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Marvel Range

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	MA350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	MA351	250W 1 gang speed switch	100pcs	0.034
	MA355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	MA555	1000W 1 gang dimmer switch, single pole	100pcs	0.034



MA351

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	MA405	13A 1 gang switched socket, single pole	100pcs	0.034
	MA406	13A 2 gang switched socket, single pole	50pcs	0.029
	MA407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	MA408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	MA407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	MA408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	MA407DU	1 gang 5 pin multi-function socket, single pole+neon	100pcs	0.034
	MA409	13A 1 gang switched socket, double pole	100pcs	0.034
	MA410	13A 2 gang switched socket, double pole	50pcs	0.029
	MA411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	MA412	13A 2 gang switched socket, double pole+neons	50pcs	0.029



MA407

- Conform to BS 1363: Part 2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Marvel Range

>> 13 AMP SOCKET WITH USB OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	MA4052	13A 1 gang switched socket, single pole+USB+neon	100pcs	0.034
	MA405U2	13A 1 gang multi-function switched socket+USB+neon	100pcs	0.034
	MA406U2	13A 2 gang switched socket, single pole+double USB	50pcs	0.029
	MA408U2	13A 2 gang switched socket, double pole+double USB++neons	50pcs	0.029



MA4052

- Conform to BS 1363: Part 2
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	MA429	15A 1 gang switched round-pin socket	100pcs	0.034
	MA431	15A 1 gang switched round-pin socket+neon	100pcs	0.034

- Conform to BS 546

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	MA413	13A fused connection unit+neon	100pcs	0.034
	MA419	13A switched FCU'S+neon	100pcs	0.034

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	MA444	16A 2 gang multi-function socket	100pcs	0.034
	MA445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	MA446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	MA458	shaver socket	25pcs	0.029
	MA460	16A 1 gang multi-function socket	100pcs	0.034

Marvel Range

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	MA432	coaxial socket,single outlet	100pcs	0.034
	MA433	coaxial socket,twin outlet	100pcs	0.034
	MA166	single satellite socket	100pcs	0.034
	MA168	double satellite socket	100pcs	0.034



MA432

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	MA452	telephone socket	100pcs	0.034
	MA438	1 gang telephone socket,secondary	100pcs	0.034
	MA439	1 gang telephone socket,master	100pcs	0.034
	MA440	2 gang telephone socket,secondary	100pcs	0.0286
	MA442	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	MA443	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



MA438

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	MA820	20A connection plate	100pcs	0.034
	MA821	45A connection plate	100pcs	0.034
	MA401	1 gang blank plate	200pcs	0.034
	MA402	2 gang blank plate	100pcs	0.029



MA401


- Conform to BS 5733
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

ULTIMATE RANGE



Specifications :

1. Streamline design, smooth touch feeling
2. Silver alloy contact, bronze conductors, more durable and safer
3. Night neon available on switch, easy location at night
4. Multi panel and colors for your choice and ODM, satisfy your personal need



Ultimate Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	U301	1 gang 1 way switch	100pcs	0.034
	U302	1 gang 2 way switch	100pcs	0.034
	U303	2 gang 1 way switch	100pcs	0.034
	U304	2 gang 2 way switch	100pcs	0.034
	U305	3 gang 1 way switch	100pcs	0.034
	U306	3 gang 2 way switch	100pcs	0.034
	U307	4 gang 1 way switch(3×3)	100pcs	0.034
	U308	4 gang 2 way switch(3×3)	100pcs	0.034



U301 U302

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> BELL SWITCH & INTERMEDIATE SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	U313	1 gang 2 way intermediate switch	100pcs	0.034
	U317	10A bell switch(bell)	100pcs	0.029



U317

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	U324	20A 1 gang double pole switch+neon	100pcs	0.034
	U327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	U329	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	U331	45A switch+neon+13A switched socket+neon	50pcs	0.029



U324

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Ultimate Range

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	U350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	U351	250W 1 gang speed switch	100pcs	0.034
	U355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	U555	1000W 1 gang dimmer switch, single pole	100pcs	0.034



U355

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	U405	13A 1 gang switched socket, single pole	100pcs	0.034
	U406	13A 2 gang switched socket, single pole	50pcs	0.029
	U407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	U408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	U407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	U408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	U407DU	1 gang 5 pin multi-function socket, single pole+neon	100pcs	0.034
	U409	13A 1 gang switched socket, double pole	100pcs	0.034
	U410	13A 2 gang switched socket, double pole	50pcs	0.029
	U411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	U412	13A 2 gang switched socket, double pole+neons	50pcs	0.029



U405

- Conform to BS 1363: Part 2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Ultimate Range

>> 13 AMP SOCKET WITH USB OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	U4052	13A 1 gang switched socket, single pole+double USB	100pcs	0.034
	U405U2	13A 1 gang multi-function switched socket+double USB	100pcs	0.034
	U406U2	13A 2 gang switched socket, single pole+double USB	50pcs	0.029
	U408U2	13A 2 gang switched socket, double pole+double USB	50pcs	0.029



U4052

- Conform to BS 1363: Part 2
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	U429	15A 1 gang switched round-pin socket	100pcs	0.034
	U431	15A 1 gang switched round-pin socket+neon	100pcs	0.034



U429

- Conform to BS 546

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	U413	13A fused connection unit+neon	100pcs	0.034
	U419	13A switched FCU'S+neon	100pcs	0.034

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	U444	16A 2 gang multi-function socket	100pcs	0.034
	U445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	U446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	U458	shaver socket	25pcs	0.029
	U460	16A 1 gang multi-function socket	100pcs	0.034



U445

Ultimate Range

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	U432	coaxial socket,single outlet	100pcs	0.034
	U433	coaxial socket,twin outlet	100pcs	0.034
	U166	single satellite socket	100pcs	0.034
	U168	double satellite socket	100pcs	0.034



U432

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	U452	telephone socket	100pcs	0.034
	U438	1 gang telephone socket,secondary	100pcs	0.034
	U439	1 gang telephone socket,master	100pcs	0.034
	U440	2 gang telephone socket,secondary	100pcs	0.0286
	U442	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	U443	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



U438

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	U820	20A connection plate	100pcs	0.034
	U821	45A connection plate	100pcs	0.034
	U401	1 gang blank plate	200pcs	0.034
	U402	2 gang blank plate	100pcs	0.029



U401

- Conform to BS 5733
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Ultimate Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	U301	1 gang 1 way switch	100pcs	0.034
	U302	1 gang 2 way switch	100pcs	0.034
	U303	2 gang 1 way switch	100pcs	0.034
	U304	2 gang 2 way switch	100pcs	0.034
	U305	3 gang 1 way switch	100pcs	0.034
	U306	3 gang 2 way switch	100pcs	0.034
	U307	4 gang 1 way switch(3×3)	100pcs	0.034
	U308	4 gang 2 way switch(3×3)	100pcs	0.034



U301 U302

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> BELL SWITCH & INTERMEDIATE SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	U313	1 gang 2 way intermediate switch	100pcs	0.034
	U317	10A bell switch(bell)	100pcs	0.029



U317

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	U324	20A 1 gang double pole switch+neon	100pcs	0.034
	U327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	U329	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	U331	45A switch+neon+13A switched socket+neon	50pcs	0.029



U324

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Ultimate Range

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	U350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	U351	250W 1 gang speed switch	100pcs	0.034
	U355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	U555	1000W 1 gang dimmer switch, single pole	100pcs	0.034



U355

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	U405	13A 1 gang switched socket, single pole	100pcs	0.034
	U406	13A 2 gang switched socket, single pole	50pcs	0.029
	U407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	U408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	U407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	U408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	U407DU	1 gang 5 pin multi-function socket, single pole+neon	100pcs	0.034
	U409	13A 1 gang switched socket, double pole	100pcs	0.034
	U410	13A 2 gang switched socket, double pole	50pcs	0.029
	U411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	U412	13A 2 gang switched socket, double pole+neons	50pcs	0.029



U405

- Conform to BS 1363: Part 2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Ultimate Range

>> 13 AMP SOCKET WITH USB OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	U4052	13A 1 gang switched socket, single pole+double USB	100pcs	0.034
	U405U2	13A 1 gang multi-function switched socket+double USB	100pcs	0.034
	U406U2	13A 2 gang switched socket, single pole+double USB	50pcs	0.029
	U408U2	13A 2 gang switched socket, double pole+double USB	50pcs	0.029



U4052

- Conform to BS 1363: Part 2
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	U429	15A 1 gang switched round-pin socket	100pcs	0.034
	U431	15A 1 gang switched round-pin socket+neon	100pcs	0.034



U429

- Conform to BS 546

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	U413	13A fused connection unit+neon	100pcs	0.034
	U419	13A switched FCU'S+neon	100pcs	0.034

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	U444	16A 2 gang multi-function socket	100pcs	0.034
	U445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	U446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	U458	shaver socket	25pcs	0.029
	U460	16A 1 gang multi-function socket	100pcs	0.034



U445

Ultimate Range

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	U432	coaxial socket, single outlet	100pcs	0.034
	U433	coaxial socket, twin outlet	100pcs	0.034
	U166	single satellite socket	100pcs	0.034
	U168	double satellite socket	100pcs	0.034



U432

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	U452	telephone socket	100pcs	0.034
	U438	1 gang telephone socket, secondary	100pcs	0.034
	U439	1 gang telephone socket, master	100pcs	0.034
	U440	2 gang telephone socket, secondary	100pcs	0.0286
	U442	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	U443	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



U438

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	U820	20A connection plate	100pcs	0.034
	U821	45A connection plate	100pcs	0.034
	U401	1 gang blank plate	200pcs	0.034
	U402	2 gang blank plate	100pcs	0.029



U401

- Conform to BS 5733
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

LEGEND RANGE



Grey Color



Black Color



White Color



Gold Color

Specifications :

1. Streamline design, smooth touch feeling
2. Silver alloy contact, bronze conductors, more durable and safer
3. Night neon available on switch, easy location at night
4. Multi panel and colors for your choice and ODM, satisfy your personal need

Legend Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	L301	1 gang 1 way switch	100pcs	0.034
	L302	1 gang 2 way switch	100pcs	0.034
	L303	2 gang 1 way switch	100pcs	0.034
	L304	2 gang 2 way switch	100pcs	0.034
	L305	3 gang 1 way switch	100pcs	0.034
	L306	3 gang 2 way switch	100pcs	0.034
	L307	4 gang 1 way switch(3x3)	100pcs	0.034
	L308	4 gang 2 way switch(3x3)	100pcs	0.034



L301 L302

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> BELL SWITCH & INTERMEDIATE SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	L313	1 gang 2 way intermediate switch	100pcs	0.034
	L317	10A bell switch(bell)	100pcs	0.029



L317

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	L324	20A 1 gang double pole switch+neon	100pcs	0.034
	L327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	L329	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	L331	45A switch+neon+13A switched socket+neon	50pcs	0.029



L324

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Legend Range

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	L350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	L351	250W 1 gang speed switch	100pcs	0.034
	L355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	L555	1000W 1 gang dimmer switch, single pole	100pcs	0.034



L355

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	L405	13A 1 gang switched socket, single pole	100pcs	0.034
	L406	13A 2 gang switched socket, single pole	50pcs	0.029
	L407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	L408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	L407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	L408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	L407DU	1 gang 5 pin multi-function socket, single pole+neon	100pcs	0.034
	L409	13A 1 gang switched socket, double pole	100pcs	0.034
	L410	13A 2 gang switched socket, double pole	50pcs	0.029
	L411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	L412	13A 2 gang switched socket, double pole+neons	50pcs	0.029



L407

- Conform to BS 1363: Part 2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Legend Range

>> 13 AMP SOCKET WITH USB OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	L4052	13A 1 gang switched socket, single pole+USB+neon	100pcs	0.034
	L405U2	13A 1 gang multi-function switched socket+USB+neon	100pcs	0.034
	L406U2	13A 2 gang switched socket, single pole+double USB	50pcs	0.029
	L408U2	13A 2 gang switched socket, double pole+double USB++neons	50pcs	0.029



L405U1

- Conform to BS 1363: Part 2
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	L429	15A 1 gang switched round-pin socket	100pcs	0.034
	L431	15A 1 gang switched round-pin socket+neon	100pcs	0.034



L431

- Conform to BS 546

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	L413	13A fused connection unit+neon	100pcs	0.034
	L419	13A switched FCU'S+neon	100pcs	0.034

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	L444	16A 2 gang multi-function socket	100pcs	0.034
	L445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	L446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	L458	shaver socket	25pcs	0.029
	L460	16A 1 gang multi-function socket	100pcs	0.034

Legend Range

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	L432	coaxial socket, single outlet	100pcs	0.034
	L433	coaxial socket, twin outlet	100pcs	0.034
	L166	single satellite socket	100pcs	0.034
	L168	double satellite socket	100pcs	0.034



L166

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	L452	telephone socket	100pcs	0.034
	L438	1 gang telephone socket, secondary	100pcs	0.034
	L439	1 gang telephone socket, master	100pcs	0.034
	L440	2 gang telephone socket, secondary	100pcs	0.0286
	L442	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	L443	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



L438

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	L820	20A connection plate	100pcs	0.034
	L821	45A connection plate	100pcs	0.034
	L401	1 gang blank plate	200pcs	0.034
	L402	2 gang blank plate	100pcs	0.029



L401

- Conform to BS 5733
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)



ELEGANCE RANGE

3 Plates and **4** Colors for your choice

- ☐ ACRYLIC ☐ PLASTIC ☐ GLASS
☐ GOLD ☐ WHITE ☐ BLACK ☐ GREY


Specifications :

1. Streamline design, smooth touch feeling
2. Silver alloy contact, bronze conductors, more durable and safer
3. Night neon available on switch, easy location at night
4. Multi panel and colors for your choice and ODM, satisfy your personal need



Acrylic Plastic Glass


Glass texture, bright, not easy to break



Elegance Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	EL301	1 gang 1 way switch	100pcs	0.034
	EL302	1 gang 2 way switch	100pcs	0.034
	EL303	2 gang 1 way switch	100pcs	0.034
	EL304	2 gang 2 way switch	100pcs	0.034
	EL305	3 gang 1 way switch	100pcs	0.034
	EL306	3 gang 2 way switch	100pcs	0.034
	EL307	4 gang 1 way switch(3×3)	100pcs	0.034
	EL308	4 gang 2 way switch(3×3)	100pcs	0.034



EL301 EL302

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> BELL SWITCH & INTERMEDIATE SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	EL313	1 gang 2 way intermediate switch	100pcs	0.034
	EL317	10A bell switch(bell)	100pcs	0.029



EL317

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	EL324	20A 1 gang double pole switch+neon	100pcs	0.034
	EL327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	EL329	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	EL331	45A switch+neon+13A switched socket+neon	50pcs	0.029



EL324

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Elegance Range

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	EL350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	EL351	250W 1 gang speed switch	100pcs	0.034
	EL355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	EL555	1000W 1 gang dimmer switch, single pole	100pcs	0.034



EL355

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	EL405	13A 1 gang switched socket, single pole	100pcs	0.034
	EL406	13A 2 gang switched socket, single pole	50pcs	0.029
	EL407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	EL408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	EL407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	EL408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	EL407DU	1 gang 5 pin multi-function socket, single pole+neon	100pcs	0.034
	EL409	13A 1 gang switched socket, double pole	100pcs	0.034
	EL410	13A 2 gang switched socket, double pole	50pcs	0.029
	EL411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	EL412	13A 2 gang switched socket, double pole+neons	50pcs	0.029



EL407

- Conform to BS 1363: Part 2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Elegance Range

>> 13 AMP SOCKET WITH USB OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	EL4052	13A 1 gang switched socket, single pole+USB+neon	100pcs	0.034
	EL405U2	13A 1 gang multi-function switched socket+USB+neon	100pcs	0.034
	EL406U2	13A 2 gang switched socket, single pole+double USB	50pcs	0.029
	EL408U2	13A 2 gang switched socket, double pole+double USB++neons	50pcs	0.029




EL405U1

- Conform to BS 1363: Part 2
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	EL429	15A 1 gang switched round-pin socket	100pcs	0.034
	EL431	15A 1 gang switched round-pin socket+neon	100pcs	0.034



EL431

- Conform to BS 546

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	EL413	13A fused connection unit+neon	100pcs	0.034
	EL419	13A switched FCU'S+neon	100pcs	0.034

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	EL444	16A 2 gang multi-function socket	100pcs	0.034
	EL445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	EL446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	EL458	shaver socket	25pcs	0.029
	EL460	16A 1 gang multi-function socket	100pcs	0.034

Elegance Range

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	EL432	coaxial socket, single outlet	100pcs	0.034
	EL433	coaxial socket, twin outlet	100pcs	0.034
	EL166	single satellite socket	100pcs	0.034
	EL168	double satellite socket	100pcs	0.034



EL166

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	EL452	telephone socket	100pcs	0.034
	EL438	1 gang telephone socket, secondary	100pcs	0.034
	EL439	1 gang telephone socket, master	100pcs	0.034
	EL440	2 gang telephone socket, secondary	100pcs	0.0286
	EL442	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	EL443	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



EL438

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	EL820	20A connection plate	100pcs	0.034
	EL821	45A connection plate	100pcs	0.034
	EL401	1 gang blank plate	200pcs	0.034
	EL402	2 gang blank plate	100pcs	0.029




EL401

- Conform to BS 5733
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

SHINE Range

SHINE range is a broad and practical range that looks at home in any interior. A value range where quality counts.



Shine Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	S301	1 gang 1 way switch	100pcs	0.034
	S302	1 gang 2 way switch	100pcs	0.034
	S303	2 gang 1 way switch	100pcs	0.034
	S304	2 gang 2 way switch	100pcs	0.034
	S305	3 gang 1 way switch	100pcs	0.034
	S306	3 gang 2 way switch	100pcs	0.034
	S307	4 gang 1 way switch(3×3)	100pcs	0.034
	S308	4 gang 2 way switch(3×3)	100pcs	0.034



S301 S302

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> BELL SWITCH & INTERMEDIATE SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	S313	1 gang 2 way intermediate switch	100pcs	0.034
	S317	10A bell switch(bell)	100pcs	0.029



S317

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	S324	20A 1 gang double pole switch+neon	100pcs	0.034
	S327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	S329	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	S331	45A switch+neon+13A switched socket+neon	50pcs	0.029



S327

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Shine Range

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	S350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	S351	250W 1 gang speed switch	100pcs	0.034
	S355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	S555	1000W 1 gang dimmer switch, single pole	100pcs	0.034



S351

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	S405	13A 1 gang switched socket, single pole	100pcs	0.034
	S406	13A 2 gang switched socket, single pole	50pcs	0.029
	S407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	S408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	S407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	S408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	S407DU	1 gang 5 pin multi-function socket, single pole+neon	100pcs	0.034
	S409	13A 1 gang switched socket, double pole	100pcs	0.034
	S410	13A 2 gang switched socket, double pole	50pcs	0.029
	S411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	S412	13A 2 gang switched socket, double pole+neons	50pcs	0.029
	S811	1 gang 8 pin multi-function socket, single pole+neon	50pcs	0.029



S407

- Conform to BS 1363: Part 2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Shine Range

>> 13 AMP SOCKET WITH USB OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	S4052	13A 1 gang switched socket, single pole+USB+neon	100pcs	0.034
	S405U2	13A 1 gang multi-function switched socket+USB+neon	100pcs	0.034
	S406U2	13A 2 gang switched socket, single pole+double USB	50pcs	0.029
	S408U2	13A 2 gang switched socket, double pole+double USB++neons	50pcs	0.029



S4052

- Conform to BS 1363: Part 2
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	S429	15A 1 gang switched round-pin socket	100pcs	0.034
	S431	15A 1 gang switched round-pin socket+neon	100pcs	0.034



S429

- Conform to BS 546

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	S413	13A fused connection unit+neon	100pcs	0.034
	S419	13A switched FCU'S+neon	100pcs	0.034

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	S444	16A 2 gang multi-function socket	100pcs	0.034
	S445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	S446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	S458	shaver socket	25pcs	0.029
	S460	16A 1 gang multi-function socket	100pcs	0.034



S445

Shine Range

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	S432	coaxial socket,single outlet	100pcs	0.034
	S433	coaxial socket,twin outlet	100pcs	0.034
	S166	single satellite socket	100pcs	0.034
	S168	double satellite socket	100pcs	0.034



S432

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	S452	telephone socket	100pcs	0.034
	S438	1 gang telephone socket,secondary	100pcs	0.034
	S439	1 gang telephone socket,master	100pcs	0.034
	S440	2 gang telephone socket,secondary	100pcs	0.0286
	S442	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	S443	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



S438

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	S820	20A connection plate	100pcs	0.034
	S821	45A connection plate	100pcs	0.034
	S401	1 gang blank plate	200pcs	0.034
	S402	2 gang blank plate	100pcs	0.029



S401

- Conform to BS 5733
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

APOLLO RANGE

Reset switch structure



Specifications :

1. Reset switch structure.
2. Silver alloy contact, bronze conductors, more durable and safe.
3. Shaped, delicate and circular, Aesthetic fashionistas.
4. LED neon available on switch, easy location at night.



Point Switch



Master Reset



LED Neon



1.5mm Plate

Apollo Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	AP301	1 gang 1 way switch	100pcs	0.034
	AP302	1 gang 2 way switch	100pcs	0.034
	AP303	2 gang 1 way switch	100pcs	0.034
	AP304	2 gang 2 way switch	100pcs	0.034
	AP305	3 gang 1 way switch	100pcs	0.034
	AP306	3 gang 2 way switch	100pcs	0.034
	AP307	4 gang 1 way switch(3×3)	100pcs	0.034
	AP308	4 gang 2 way switch(3×3)	100pcs	0.034



AP301 AP302

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> BELL SWITCH & INTERMEDIATE SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	AP313	1 gang 2 way intermediate switch	100pcs	0.034
	AP317	10A bell switch(bell)	100pcs	0.029



AP317

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	AP324	20A 1 gang double pole switch+neon	100pcs	0.034
	AP327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	AP329	45A 1 gang double pole switch+neon, double plate	50pcs	0.029



AP324

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Apollo Range

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	AP350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	AP351	250W 1 gang speed switch	100pcs	0.034
	AP355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	AP555	1000W 1 gang dimmer switch, single pole	100pcs	0.034

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	AP405	13A 1 gang switched socket, single pole	100pcs	0.034
	AP406	13A 2 gang switched socket, single pole	50pcs	0.029
	AP407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	AP408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	AP407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	AP408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	AP407DU	1 gang 5 pin multi-function socket, single pole+neon	100pcs	0.034
	AP409	13A 1 gang switched socket, double pole	100pcs	0.034
	AP410	13A 2 gang switched socket, double pole	50pcs	0.029
	AP411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	AP412	13A 2 gang switched socket, double pole+neons	50pcs	0.029



AP405



AP407DU

- Conform to BS 1363: Part 2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Apollo Range

>> 13 AMP SOCKET WITH USB OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	AP4052	13A 1 gang switched socket, single pole+double USB	100pcs	0.034
	AP407DU2	1 gang 5 pin multi-function socket, single pole+neon+double USB	100pcs	0.034
	AP406U2	13A 2 gang switched socket, single pole+double USB	50pcs	0.029
	AP408U2	13A 2 gang multi-function switched socket, double pole+double USB	50pcs	0.029



AP407DU2

- Conform to BS 1363: Part 2
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	AP429	15A 1 gang switched round-pin socket	100pcs	0.034
	AP431	15A 1 gang switched round-pin socket+neon	100pcs	0.034




AP429


- Conform to BS 546

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	AP444	16A 2 gang multi-function socket	100pcs	0.034
	AP445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	AP446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034



AP445



Apollo Range

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	AP432	coaxial socket,single outlet	100pcs	0.034
	AP433	coaxial socket,twin outlet	100pcs	0.034
	AP166	single satellite socket	100pcs	0.034
	AP168	double satellite socket	100pcs	0.034



AP432

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	AP452	telephone socket	100pcs	0.034
	AP438	1 gang telephone socket,secondary	100pcs	0.034
	AP439	1 gang telephone socket,master	100pcs	0.034
	AP440	2 gang telephone socket,secondary	100pcs	0.0286
	AP442	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	AP443	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



AP438

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	AP820	20A connection plate	100pcs	0.034
	AP821	45A connection plate	100pcs	0.034
	AP401	1 gang blank plate	200pcs	0.034
	AP402	2 gang blank plate	100pcs	0.029



AP401

- Conform to BS 5733
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Orient Range




Specifications :

1. Unique design of round button, Elegant & Fashion
2. Panel is 3D carved in flower shape, Acrylic is available
3. Fire-retardant base, Steel frame structure
4. Ultra-thin design, Thickness is only 7mm
5. Panel can be customized, Silver& Golden & White colors for choice



1. Speical Round button design ,
Stylish and fashion

2. Fluorescent light is available



3. Acrylic plate,
Durable and nice looking



4. Ultra-thin design,thickness is only 7mm

7mm

Orient Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	O301	1 gang 1 way switch	100pcs	0.034
	O302	1 gang 2 way switch	100pcs	0.034
	O303	2 gang 1 way switch	100pcs	0.034
	O304	2 gang 2 way switch	100pcs	0.034
	O305	3 gang 1 way switch	100pcs	0.034
	O306	3 gang 2 way switch	100pcs	0.034
	O307	4 gang 1 way switch(3×3)	100pcs	0.034
	O308	4 gang 2 way switch(3×3)	100pcs	0.034



O301 O302

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> BELL SWITCH & INTERMEDIATE SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	O313	1 gang 2 way intermediate switch	100pcs	0.034
	O317	10A bell switch(bell)	100pcs	0.029

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	O324	20A 1 gang double pole switch+neon	100pcs	0.034
	O327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	O329	45A 1 gang double pole switch+neon, double plate	50pcs	0.029



O324

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Orient Range

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	O350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	O351	250W 1 gang speed switch	100pcs	0.034
	O355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	O356	500W 2 gang dimmer switch, single pole	100pcs	0.034

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	O405	13A 1 gang switched socket, single pole	100pcs	0.034
	O406	13A 2 gang switched socket, single pole	50pcs	0.029
	O407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	O408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	O407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	O408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	O407DU	1 gang 5 pin multi-function socket, single pole+neon	100pcs	0.034
	O409	13A 1 gang switched socket, double pole	100pcs	0.034
	O410	13A 2 gang switched socket, double pole	50pcs	0.029
	O411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	O412	13A 2 gang switched socket, double pole+neons	50pcs	0.029



O407

- Conform to BS 1363: Part 2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Orient Range

>> 13 AMP SOCKET WITH USB OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	O4032	13A 1 gang socket+double USB	100pcs	0.034
	O407U2	13A 1 gang switched socket, single pole+double USB+neons	100pcs	0.034
	O403U2	13A 1 gang multi-function socket+double USB	100pcs	0.029
	O408U2	13A 2 gang switched socket, double pole+double USB+neons	50pcs	0.029

- Conform to BS 1363: Part 2
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	O429	15A 1 gang switched round-pin socket	100pcs	0.034
	O431	15A 1 gang switched round-pin socket+neon	100pcs	0.034




O431

- Conform to BS 546

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	O444	16A 2 gang multi-function socket	100pcs	0.034
	O445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	O446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	O458	shaver socket	25pcs	0.029
	O460	16A 1 gang multi-function socket	100pcs	0.034



O444

Orient Range

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	O432	coaxial socket, single outlet	100pcs	0.034
	O433	coaxial socket, twin outlet	100pcs	0.034
	O166	single satellite socket	100pcs	0.034
	O168	double satellite socket	100pcs	0.034



O432

>> TELEPHONE & DATA OUTLETS


Picture	No.	Description	Carton	Volume(cbm)
	O452	telephone socket	100pcs	0.034
	O438	1 gang telephone socket, secondary	100pcs	0.034
	O439	1 gang telephone socket, master	100pcs	0.034
	O440	2 gang telephone socket, secondary	100pcs	0.0286
	O442	1 gang RJ45 data socket (8 terminal)	100pcs	0.034
	O443	2 gang RJ45 data socket (8 terminal)	100pcs	0.034



O438

>> CONNECTION PLATE & BLANK PLATE


Picture	No.	Description	Carton	Volume(cbm)
	O820	20A connection plate	100pcs	0.034
	O821	45A connection plate	100pcs	0.034
	O401	1 gang blank plate	200pcs	0.034
	O402	2 gang blank plate	100pcs	0.029




O401

- Conform to BS 5733
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

NOBLE SCREWELESS RANGE



How to order



Noble Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	N301AB	1 gang 1 way plate switch	100pcs	0.034
	N302AB	1 gang 2 way plate switch	100pcs	0.034
	N303AB	2 gang 1 way plate switch	100pcs	0.034
	N304AB	2 gang 2 way plate switch	100pcs	0.034
	N305AB	3 gang 1 way plate switch	100pcs	0.034
	N306AB	3 gang 2 way plate switch	100pcs	0.034
	N307AB	4 gang 1 way plate switch	50pcs	0.029
	N308AB	4 gang 2 way plate switch	50pcs	0.029
	N309AB	6 gang 1 way plate switch	50pcs	0.029
	N310AB	6 gang 2 way plate switch	50pcs	0.029



N303AB



N307AB

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> BELL SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	N317AB	10A bell switch(bell)	100pcs	0.034



N317AB

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	N324AB	20A 1 gang double pole switch+neon	100pcs	0.034
	N327AB	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	N329AB	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	N331AB	45A switch+neon+13A switched socket+neon	50pcs	0.029



N327AB

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Noble Range

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	N350AB	250W 1 gang dimmer switch, single pole	100pcs	0.034
	N351AB	250W 1 gang speed switch	100pcs	0.034
	N353AB	250W 2 gang dimmer switch, single pole	100pcs	0.034
	N355AB	500W 1 gang dimmer switch, single pole	100pcs	0.034
	N356AB	500W 2 gang dimmer switch, single pole	100pcs	0.034
	N555AB	1000W 1 gang dimmer switch, single pole	100pcs	0.034
	N556AB	1000W 2 gang dimmer switch, single pole	50pcs	0.029



N355AB

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	N405AB	13A 1 gang switched socket, single pole	100pcs	0.034
	N406AB	13A 2 gang switched socket, single pole	50pcs	0.029
	N409AB	13A 1 gang switched socket, double pole	100pcs	0.034
	N410AB	13A 2 gang switched socket, double pole	50pcs	0.029



N405AB

- Conform to BS 1363: Part 2
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	N413AB	13A fused connection unit+neon	100pcs	0.034
	N419AB	13A switched FCU'S+neon	100pcs	0.034



N419AB

- Conform to BS 1363: Part 4

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	N429AB	15A 1 gang switched round-pin socket	100pcs	0.034
	N431AB	15A 1 gang switched round-pin socket+neon	100pcs	0.034



N429AB

- Conform to BS 546

Noble Range

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	N434AB	isolated coaxial socket, single outlet	100pcs	0.034
	N436AB	isolated coaxial socket, twin outlet	100pcs	0.034
	N166AB	1G satellite socket	100pcs	0.034
	N167AB	1G satellite socket+TV socket	100pcs	0.034



N434AB

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	N438AB	1 gang telephone socket, secondary	100pcs	0.034
	N439AB	1 gang telephone socket, master	100pcs	0.034
	N440AB	2 gang telephone socket, secondary	100pcs	0.034
	N442AB	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	N443AB	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



N438AB

- Conform to BS 5733
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	N820AB	20A connection plate	100pcs	0.034
	N821AB	45A connection plate	100pcs	0.034
	N401AB	1 gang blank plate	200pcs	0.034
	N402AB	2 gang blank plate	100pcs	0.029



N401AB

Icon Range



Specifications:

1. Stainless steel plate, Brushed silver
2. Safety shutter design, Keep children safe
3. Superior materials, 10 years guarantee
4. Strong strcutre, Wonderful looking

Mechanics structure Much stronger


Good design with smooth touch feeling
make Icon hot sale on the market



Stainless steel plate



Superior materials



Brushed silver

Icon Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	I301	1 gang 1 way switch	100pcs	0.034
	I302	1 gang 2 way switch	100pcs	0.034
	I303	2 gang 1 way switch	100pcs	0.034
	I304	2 gang 2 way switch	100pcs	0.034
	I305	3 gang 1 way switch	100pcs	0.034
	I306	3 gang 2 way switch	100pcs	0.034
	I307	4 gang 1 way switch(3×3)	100pcs	0.034
	I308	4 gang 2 way switch(3×3)	100pcs	0.034



I301 I302

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> BELL SWITCH & INTERMEDIATE SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	I313	1 gang 2 way intermediate switch	100pcs	0.034
	I317	10A bell switch(bell)	100pcs	0.029



I317

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	I324	20A 1 gang double pole switch+neon	100pcs	0.034
	I327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	I329	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	I331	45A switch+neon+13A switched socket+neon	50pcs	0.029



I324

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Icon Range

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	I350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	I351	250W 1 gang speed switch	100pcs	0.034
	I355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	I555	1000W 1 gang dimmer switch, single pole	100pcs	0.034

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	I405	13A 1 gang switched socket, single pole	100pcs	0.034
	I406	13A 2 gang switched socket, single pole	50pcs	0.029
	I407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	I408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	I407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	I408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	I407DU	1 gang 5 pin multi-function socket, single pole+neon	100pcs	0.034
	I409	13A 1 gang switched socket, double pole	100pcs	0.034
	I410	13A 2 gang switched socket, double pole	50pcs	0.029
	I411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	I412	13A 2 gang switched socket, double pole+neons	50pcs	0.029



I407

- Conform to BS 1363: Part 2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Icon Range

>> 13 AMP SOCKET WITH USB OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	I4052	13A 1 gang switched socket, single pole+double USB	100pcs	0.034
	I403U2	13A 1 gang multi-function socket+double USB	100pcs	0.034
	I406U2	13A 2 gang switched socket, single pole+double USB	50pcs	0.029
	I408U2	13A 2 gang switched socket, double pole+double USB	50pcs	0.029



I403U2

- Conform to BS 1363: Part 2
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	I429	15A 1 gang switched round-pin socket	100pcs	0.034
	I431	15A 1 gang switched round-pin socket+neon	100pcs	0.034



I429

- Conform to BS 546

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	I413	13A fused connection unit+neon	100pcs	0.034
	I419	13A switched FCU'S+neon	100pcs	0.034

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	I444	16A 2 gang multi-function socket	100pcs	0.034
	I445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	I446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	I458	shaver socket	25pcs	0.029
	I460	16A 1 gang multi-function socket	100pcs	0.034



I445

Icon Range

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	I432	coaxial socket,single outlet	100pcs	0.034
	I433	coaxial socket,twin outlet	100pcs	0.034
	I166	single satellite socket	100pcs	0.034
	I168	double satellite socket	100pcs	0.034



I432

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	I452	telephone socket	100pcs	0.034
	I438	1 gang telephone socket,secondary	100pcs	0.034
	I439	1 gang telephone socket,master	100pcs	0.034
	I440	2 gang telephone socket,secondary	100pcs	0.0286
	I442	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	I443	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



I440

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	I820	20A connection plate	100pcs	0.034
	I821	45A connection plate	100pcs	0.034
	I401	1 gang blank plate	200pcs	0.034
	I402	2 gang blank plate	100pcs	0.029




I401

- Conform to BS 5733
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Mirror Finish RANGE


Classic design, tasters' choice
Golden and silver colour for selection
No colour fading



Mirror Finish Range Golden Color

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	TA301PB	1 gang 1 way plate switch	100pcs	0.034
	TA302PB	1 gang 2 way plate switch	100pcs	0.034
	TA303PB	2 gang 1 way plate switch	100pcs	0.034
	TA304PB	2 gang 2 way plate switch	100pcs	0.034
	TA305PB	3 gang 1 way plate switch	100pcs	0.034
	TA306PB	3 gang 2 way plate switch	100pcs	0.034
	TA307PB	4 gang 1 way plate switch	50pcs	0.029
	TA308PB	4 gang 2 way plate switch	50pcs	0.029
	TA309PB	6 gang 1 way plate switch	50pcs	0.029
	TA310PB	6 gang 2 way plate switch	50pcs	0.029




TA301PB



TA305PB

>> BELL SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	TA317PB	1 gang bell switch	100pcs	0.034



TA317PB

- Conform to BS-EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

REMARKS:

White Insert and Black Insert are both Available.

Mirror Finish Range Golden Color

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	TA324PB	20A 1 gang double pole switch+neon	100pcs	0.034
	TA327PB	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	TA329PB	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	TA331PB	45A switch+neon+13A switched socket+neon	50pcs	0.029



TA327PB

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	TA350PB	250W 1 gang dimmer switch, single pole	100pcs	0.034
	TA351PB	250W 1 gang speed switch	100pcs	0.034
	TA353PB	250W 2 gang dimmer switch, single pole	100pcs	0.034
	TA355PB	500W 1 gang dimmer switch, single pole	100pcs	0.034
	TA356PB	500W 2 gang dimmer switch, single pole	100pcs	0.034
	TA555PB	1000W 1 gang dimmer switch, single pole	100pcs	0.034
	TA556PB	1000W 2 gang dimmer switch, single pole	50pcs	0.029



TA353PB

- Conform to BS EN 60 669-2-1, BS 55014-1, BS 55014-2
- Clear terminal markings
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	TA405PB	13A 1 gang switched socket, single pole	100pcs	0.034
	TA406PB	13A 2 gang switched socket, single pole	50pcs	0.029
	TA409PB	13A 1 gang switched socket, double pole	100pcs	0.034
	TA410PB	13A 2 gang switched socket, double pole	50pcs	0.029



TA405PB

- Conform to BS 1363: Part 2
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Mirror Finish Range Golden Color

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	TA413PB	13A fused connection unit+neon	100pcs	0.034
	TA419PB	13A switched FCU'S+neon	100pcs	0.034




TA422PB

- Conform to BS 1363: Part 4

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	TA429PB	15A 1 gang switched round-pin socket, BS546	100pcs	0.034




TA429PB

- Conform to BS 546

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	TA434PB	isolated coaxial socket, single outlet	100pcs	0.034
	TA436PB	isolated coaxial socket, twin outlet	100pcs	0.034
	TA166PB	single satellite socket	100pcs	0.034
	TA168PB	double satellite socket	100pcs	0.034



TA434PB

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	TA438PB	1 gang telephone socket, secondary	100pcs	0.034
	TA439PB	1 gang telephone socket, master	100pcs	0.034
	TA440PB	2 gang telephone socket, secondary	100pcs	0.034
	TA441PB	2 gang telephone socket, master	100pcs	0.034
	TA442PB	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	TA443PB	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



TA438PB

Mirror Finish Range Golden Color

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	TA820PB	20A connection plate	100pcs	0.034
	TA821PB	45A connection plate	100pcs	0.034
	TA401PB	1 gang blank plate	200pcs	0.034
	TA402PB	2 gang blank plate	100pcs	0.029



TA401PB

- Conform to BS 5733
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)



Mirror Finish Range Sliver Color

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	TA301PC	1 gang 1 way plate switch	100pcs	0.034
	TA302PC	1 gang 2 way plate switch	100pcs	0.034
	TA303PC	2 gang 1 way plate switch	100pcs	0.034
	TA304PC	2 gang 2 way plate switch	100pcs	0.034
	TA305PC	3 gang 1 way plate switch	100pcs	0.034
	TA306PC	3 gang 2 way plate switch	100pcs	0.034
	TA307PC	4 gang 1 way plate switch	50pcs	0.029
	TA308PC	4 gang 2 way plate switch	50pcs	0.029
	TA309PC	6 gang 1 way plate switch	50pcs	0.029
	TA310PC	6 gang 2 way plate switch	50pcs	0.029



TA303PC

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> BELL SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	TA317PC	1 gang bell switch	100pcs	0.034



TA317PC

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	TA324PC	20A 1 gang double pole switch+neon	100pcs	0.034
	TA327PC	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	TA329PC	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	TA331PC	45A switch+neon+13A switched socket+neon	50pcs	0.029



TA324PC

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Mirror Finish Range Sliver Color

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	TA350PC	250W 1 gang dimmer switch, single pole	100pcs	0.034
	TA351PC	250W 1 gang speed switch	100pcs	0.034
	TA353PC	250W 2 gang dimmer switch, single pole	100pcs	0.034
	TA355PC	500W 1 gang dimmer switch, single pole	100pcs	0.034
	TA356PC	500W 2 gang dimmer switch, single pole	100pcs	0.034
	TA555PC	1000W 1 gang dimmer switch, single pole	100pcs	0.034
	TA556PC	1000W 2 gang dimmer switch, single pole	50pcs	0.029



TA356PC

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	TA405PC	13A 1 gang switched socket, single pole	100pcs	0.034
	TA406PC	13A 2 gang switched socket, single pole	50pcs	0.029
	TA409PC	13A 1 gang switched socket, double pole	100pcs	0.034
	TA410PC	13A 2 gang switched socket, double pole	50pcs	0.029



TA406PC

- Conform to BS 1363: Part 2

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	TA413PC	13A fused connection unit+neon	100pcs	0.034
	TA419PC	13A switched FCU'S+neon	100pcs	0.034



TA419PC

- Conform to BS 1363: Part 4

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	TA429PC	15A 1 gang switched round-pin socket, BS546	100pcs	0.034



TA429PC

- Conform to BS 546

Mirror Finish Range Sliver Color

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	TA434PC	isolated coaxial socket, single outlet	100pcs	0.034
	TA436PC	isolated coaxial socket, twin outlet	100pcs	0.034
	TA166PC	single satellite socket	100pcs	0.034
	TA168PC	double satellite socket	100pcs	0.034



TA434PC

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	TA438PC	1 gang telephone socket, secondary	100pcs	0.034
	TA439PC	1 gang telephone socket, master	100pcs	0.034
	TA440PC	2 gang telephone socket, secondary	100pcs	0.034
	TA441PC	2 gang telephone socket, master	100pcs	0.034
	TA442PC	1 gang RJ45 data socket (8 terminal)	100pcs	0.034
	TA443PC	2 gang RJ45 data socket (8 terminal)	100pcs	0.034



TA442PC

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	TA820PC	20A connection plate	100pcs	0.034
	TA821PC	45A connection plate	100pcs	0.034
	TA401PC	1 gang blank plate	200pcs	0.034
	TA402PC	2 gang blank plate	100pcs	0.029



TA401PC

- Conform to BS 5733
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

SATIN GOLDEN & CHROME



CHROME

GOLDEN

Stainless steel satin plate

Unique button design

Superior materials

Modern design

Satin Chrome Range

CHROME

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	T301SC	1 gang 1 way plate switch	100pcs	0.034
	T302SC	1 gang 2 way plate switch	100pcs	0.034
	T303SC	2 gang 1 way plate switch	100pcs	0.034
	T304SC	2 gang 2 way plate switch	100pcs	0.034
	T305SC	3 gang 1 way plate switch	100pcs	0.034
	T306SC	3 gang 2 way plate switch	100pcs	0.034
	T307SC	4 gang 1 way plate switch	50pcs	0.029
	T308SC	4 gang 2 way plate switch	50pcs	0.029
	T309SC	6 gang 1 way plate switch	50pcs	0.029
	T310SC	6 gang 2 way plate switch	50pcs	0.029



T301SC



T303SC

>> BELL SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	T317SC	10A bell switch(bell)	100pcs	0.034



T317SC

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

REMARKS:

White Insert and Black Insert are both Available

Satin Chrome Range

CHROME

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	T324GB/GE	20A 1 gang double pole switch+neon	100pcs	0.034
	T327GB/GE	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	T329GB/GE	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	T331GB/GE	45A switch+neon+13A switched socket+neon	50pcs	0.029



T501SC

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	T350SC	250W 1 gang dimmer switch, single pole	100pcs	0.034
	T351SC	250W 1 gang speed switch	100pcs	0.034
	T353SC	250W 2 gang dimmer switch, single pole	100pcs	0.034
	T355SC	500W 1 gang dimmer switch, single pole	100pcs	0.034
	T356XC	500W 2 gang dimmer switch, single pole	100pcs	0.034
	T555SC	1000W 1 gang dimmer switch, single pole	100pcs	0.034
	T556SC	1000W 2 gang dimmer switch, single pole	50pcs	0.029



T355SC

- Conform to BS EN 60 669-2-1, BS 55014-1, BS 55014-2
- Clear terminal markings
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	T405SC	13A 1 gang switched socket, single pole	100pcs	0.034
	T406SC	13A 2 gang switched socket, single pole	50pcs	0.029
	T409SC	13A 1 gang switched socket, double pole	100pcs	0.034
	T410SC	13A 2 gang switched socket, double pole	50pcs	0.029



T405SC

- Conform to BS 1363: Part 2
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Satin Chrome Range

CHROME

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	T413SC	13A fused connection unit+neon	100pcs	0.034
	T419SC	13A switched FCU'S+neon	100pcs	0.034



T419SC

- Conform to BS 1363: Part 4

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	T429SC	15A 1 gang switched round-pin socket, BS546	100pcs	0.034



T429SC

- Conform to BS 546

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	T434SC	isolated coaxial socket, single outlet	100pcs	0.034
	T436SC	isolated coaxial socket, twin outlet	100pcs	0.034
	T166SC	single satellite socket	100pcs	0.034
	T168SC	double satellite socket	100pcs	0.034



T434SC

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	T438SC	1 gang telephone socket, secondary	100pcs	0.034
	T439SC	1 gang telephone socket, master	100pcs	0.034
	T440SC	2 gang telephone socket, secondary	100pcs	0.034
	T441SC	2 gang telephone socket, master	100pcs	0.034
	T442SC	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	T443SC	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



T438SC

- Conform to BS 5733
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Satin Chrome Range

CHROME

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	T820SC	20A connection plate	100pcs	0.034
	T821SC	45A connection plate	100pcs	0.034
	T401SC	1 gang blank plate	200pcs	0.034
	T402SC	2 gang blank plate	100pcs	0.029



T820SC

Satin Chrome Range


GOLDEN

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	T301SB	1 gang 1 way plate switch	100pcs	0.034
	T302SB	1 gang 2 way plate switch	100pcs	0.034
	T303SB	2 gang 1 way plate switch	100pcs	0.034
	T304SB	2 gang 2 way plate switch	100pcs	0.034
	T305SB	3 gang 1 way plate switch	100pcs	0.034
	T306SB	3 gang 2 way plate switch	100pcs	0.034
	T307SB	4 gang 1 way plate switch	50pcs	0.029
	T308SB	4 gang 2 way plate switch	50pcs	0.029
	T309SB	6 gang 1 way plate switch	50pcs	0.029
	T310SB	6 gang 2 way plate switch	50pcs	0.029



T303SB



T309SB

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Satin Chrome Range

GOLDEN

>> BELL SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	T317SB	10A bell switch(bell)	100pcs	0.034



T317SB

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	T324SB	20A 1 gang double pole switch+neon	100pcs	0.034
	T327SB	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	T329SB	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	T331SB	45A switch+neon+13A switched socket+neon	50pcs	0.029



T327SB

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	T350SB	250W 1 gang dimmer switch, single pole	100pcs	0.034
	T351SB	250W 1 gang speed switch	100pcs	0.034
	T353SB	250W 2 gang dimmer switch, single pole	100pcs	0.034
	T355SB	500W 1 gang dimmer switch, single pole	100pcs	0.034
	T356SB	500W 2 gang dimmer switch, single pole	100pcs	0.034
	T555SB	1000W 1 gang dimmer switch, single pole	100pcs	0.034
	T556SB	1000W 2 gang dimmer switch, single pole	50pcs	0.029



T355SB

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Satin Chrome Range

GOLDEN

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	T405SB	13A 1 gang switched socket, single pole	100pcs	0.034
	T406SB	13A 2 gang switched socket, single pole	50pcs	0.029
	T409SB	13A 1 gang switched socket, double pole	100pcs	0.034
	T410SB	13A 2 gang switched socket, double pole	50pcs	0.029



T405SB

- Conform to BS 1363: Part 2
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)
- Life: 10 Year Guarantee

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	T413SB	13A fused connection unit+neon	100pcs	0.034
	T419SB	13A switched FCU'S+neon	100pcs	0.034



T419SB

- Conform to BS 1363: Part 4

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	T429SB	15A 1 gang switched round-pin socket,BS546	100pcs	0.034



T429SB

- Conform to BS 546

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	T434SB	isolated coaxial socket,single outlet	100pcs	0.034
	T436SB	isolated coaxial socket,twin outlet	100pcs	0.034
	T166SB	single satellite socket	100pcs	0.034
	T168SB	double satellite socket	100pcs	0.034



T434SB

Satin Chrome Range

GOLDEN

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	T438SB	1 gang telephone socket,secondary	100pcs	0.034
	T439SB	1 gang telephone socket,master	100pcs	0.034
	T440SB	2 gang telephone socket,secondary	100pcs	0.034
	T441SB	2 gang telephone socket,master	100pcs	0.034
	T442SB	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	T443SB	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



T438SB

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	T820SB	20A connection plate	100pcs	0.034
	T821SB	45A connection plate	100pcs	0.034
	T401SB	1 gang blank plate	200pcs	0.034
	T402SB	2 gang blank plate	100pcs	0.029



T821SB

- Conform to BS 5733
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)



Metal Clad RANGE



Manufactured from high quality steel with stylish good looks, Metal clad range has a striking appearance with flush fitting front plates and discreet neons. Metal clad, rugged reliability with style.

All metal clad sockets and switches are supplied with back boxes



Metal Clad Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	M301	1 gang 1 way switch	100pcs	0.0416
	M302	1 gang 2 way switch	100pcs	0.0416
	M303	2 gang 1 way switch	100pcs	0.0416
	M304	2 gang 2 way switch	100pcs	0.0416
	M305	3 gang 1 way switch	100pcs	0.0416
	M306	3 gang 2 way switch	100pcs	0.0416
	M307	4 gang 1 way switch(3x6)	50pcs	0.0385
	M308	4 gang 2 way switch(3x6)	50pcs	0.0385
	M309	6 gang 1 way switch	50pcs	0.0385
	M310	6 gang 2 way switch	50pcs	0.0385



M301 M302



M305 M306

- Conform to BS EN 60 669-1
- Dimension: 86.5x86.5 mm (1 gang)
86.5x146.5 mm (2 gang)

>> BELL SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	M317	10A bell switch(bell)	100pcs	0.0416



M317

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	M324	20A 1 gang double pole switch+neon	100pcs	0.0416
	M327	45A 1 gang double pole switch+neon, single plate	100pcs	0.0416
	M329	45A 1 gang double pole switch+neon, double plate	50pcs	0.0385



M324

- Conform to BS EN 60 669-1
- Dimension: 86.5x86.5 mm (1 gang)
86.5x146.5 mm (2 gang)

Metal Clad Range

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	M405	13A 1 gang switched socket, single pole	100pcs	0.0416
	M406	13A 2 gang switched socket, single pole	50pcs	0.0385
	M409	13A 1 gang switched socket, double pole	100pcs	0.0416
	M410	13A 2 gang switched socket, double pole	50pcs	0.0385



M405

- Conform to BS 1363: Part 2
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	M413	13A fused connection unit+neon	100pcs	0.0416
	M419	13A switched FCU'S+neon	100pcs	0.0416



M419

- Conform to BS 1363: Part 4

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	M429	15A 1 gang switched round-pin socket	100pcs	0.0416
	M4292	15A 2 gang switched round-pin socket	50pcs	0.0385



M429

- Conform to BS 546

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	M434	isolated coaxial socket,single outlet	100pcs	0.0416
	M436	isolated coaxial socket,twin outlet	100pcs	0.0416
	M166	single satellite socket	100pcs	0.0416



M436

Metal Clad Range

>> KNOCKOUT BOX

Picture	No.	Description	Carton	Volume(cbm)
	M831	40mm 1 gang cavity box+knockout	100pcs	0.0416
	M832	40mm 2 gang cavity box+knockout	50pcs	0.0385
	M833	50mm 1 gang cavity box+knockout	100pcs	0.0416
	M834	50mm 2 gang cavity box+knockout	50pcs	0.0385



M831 / M832

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	M438	1 gang telephone socket,secondary	100pcs	0.0416
	M439	1 gang telephone socket,master	100pcs	0.0416
	M440	2 gang telephone socket,secondary	100pcs	0.0416
	M442	1 gang RJ45 data socket(8 terminal)	100pcs	0.0416
	M443	2 gang RJ45 data socket(8 terminal)	100pcs	0.0416



M438

>> BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	M401	1 gang blank plate	100pcs	0.0416
	M402	2 gang blank plate	50pcs	0.0385



M401

All metal clad sockets and switches are supplied with back boxes

- Conform to BS 5733
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)
- Life: 10 Year Guarantee

WATERPROOF SWITCH & SOCKET

Whatever the weather or the environment, our waterproof range leave the seal of approval for all commercial or residential needs



Waterproof Switch & Socket



WP301/302

1 gang 1 way switch
1 gang 2 way switch



WP303/304

2 gang 1 way switch
2 gang 2 way switch



WP305/306

3 gang 1 way switch
3 gang 2 way switch



WP307/308

4 gang 1 way switch
4 gang 2 way switch



WP317

bell switch



WP403

1 gang socket



WP405

1 gang switch socket



WP404

2 gang socket



WP403U

1 gang multi socket



WP405U

1 gang multi switch socket



WP404U

2 gang multi socket



WP428

1 gang 15A socket

Waterproof Switch & Socket



WP429

1 gang 15A switch socket



WP406

2 gang 13A switch socket



WP406U

2 gang 13A multi
switch socket



WP333

german socket



WP444

french socket



WP334

2 gang german socket



WP445

2 gang french socket

>> MODULE PART



WP-4041

1 gang socket



WP-4281

1 gang 15A socket



WP3171

bell switch



WP-3331

german socket

Marketing Supports

Pens



Calculator



Authorization letter



T-Shirt



Polo Shirt



Advertisement Boards

21.5×30cm




60×90cm



More...

ACCESSORIES



Accessories

>> LAMPHOLDERS

Picture	No.	Description	Carton	Volume(cbm)
	W601B22	batten lampholder, long skirt	200pcs	0.0450
	W602B22	batten lampholder, home skirt	200pcs	0.0604
	W605B22	45 angled batten lamphoder, long skirt	200pcs	0.0757
	W606B22	45 angled batten lamphoder, home skirt	200pcs	0.0811
	W601E27	batten lampholder, long skirt	200pcs	0.0450
	W602E27	batten lampholder, home skirt	200pcs	0.0604
	W605E27	45 angled batten lamphoder, long skirt	200pcs	0.0757
	W606E27	45 angled batten lamphoder, home skirt	200pcs	0.0811



■ Conform to BS EN 61184 & IEC 60238

>> CEILING ROSE, PENDANT SET

Picture	No.	Description	Carton	Volume(cbm)
	W614	cord grip lampholder	400pcs	0.0433
	W615	cord grip lampholder IP, home skirt	400pcs	0.0286
	W618	6" pendant set	50pcs	0.0331
	W619	9" pendant set	50pcs	0.0331
	W620	20" pendant set	50pcs	0.0331



■ Conform to BS EN 60598-1, BS EN 60598-2-1, BS 67
■ Material: Bakelite
■ Life: 10 Year Guarantee
■ B22 & E27 are available

>> JUNCTION BOX

Picture	No.	Description	Carton	Volume(cbm)
	W701	ceiling rose	100pcs	0.0331
	W817	30A junction box, 90mm, 3 terminal	80pcs	0.0370
	W819	20A junction box, 80mm, 4 terminal	100pcs	0.0370



■ Conform to BS 6220
■ Selective cable entry

Accessories

>> ADAPTORS

Picture	No.	Description	Carton	Volume(cbm)
	W504	13A 2 way adaptor	200pcs	0.0661
	W505	13A 3 way adaptor	200pcs	0.0661
	W506	13A 3 way adaptor+neon	200pcs	0.0661
	W510	13A 3-way multi function adaptor with neon, plastic	200pcs	0.0661



W510

>> PLUGS

Picture	No.	Description	Carton	Volume(cbm)
	W208	13A fused plug	300pcs	0.0661
	W1153	15A round pin plug	300pcs	0.0661



W1153

>> CAVITY BOX

Picture	No.	Description	Carton	Volume(cbm)
	W805	25mm single cavity box	200pcs	0.0599
	W807	35mm single cavity box	200pcs	0.0420
	W810	25mm double cavity box	100pcs	0.0505
	W811	35mm double cavity box	100pcs	0.0661



W810

- Conform to BS 5733
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)
- Life: 10 Year Guarantee

Extension Socket

>> EXTENSION SOCKET

Picture	No.	Description	Carton
	W491	13A 2-G trailing socket+neon	80 pcs
	W492	13A 3-G trailing socket+neon	60 pcs
	W493	13A 4-G trailing socket+neon	40 pcs
	W494	13A 2-G trailing switched socket+neon	80 pcs
	W495	13A 4-G trailing switched socket+neon	40 pcs



Metal Box



Metal Box

Our thickness is among 0.7-1.2mm
Adjustable lugs, screw & copper terminals are all available for your choice
OEM service is available

>> METAL BOX

Picture	No.	Description	Carton	Volume(cbm)
	M835	35mm 1 gang metal box(3×3)	200pcs	0.044
	M836	35mm 2 gang metal box(3×6)	100pcs	0.041
	M837	35mm dual metal box(3×3+3×3)	100pcs	0.046
	M838	35mm 3 gang metal box(3×3+3×3+3×3)	80pcs	0.056
	M839	35mm 3 gang metal box(3×6+3×3)	50pcs	0.034
	M840	35mm multi metal box(3×6+3×3+3×3)	50pcs	0.045

- Conform to BS 4662
- Material: Galvanized Steel
- Adjustable lug is available

